

DAFTAR PUSTAKA

www.itk.ac.id

- Archer, B.L., B.G. Audley, Mc Sweeney and T.C. Hong. (1969). Studies on composition of latex and bottom fraction particles. *J. Rubb. Res. Inst. Malaya*, 21(4): 560-569.
- Astrid, D., Febrianti, I., Mulyasari, R., Hidayat, A. S., Hidayat, A. T., Rachman, S. D., Soedjanaatmadja, U. M. S. (2014). PROSES DEPROTEINISASI KARET ALAM (DPNR) DARI LATEKS *Hevea brasiliensis* Muell Arg. DENGAN CARA ENZIMATIK. *Chimica et Natura Acta*, 2(2), 105–114. <https://doi.org/10.24198/cna.v2.n2.9152>
- Berthelot, K., Lecomte, S., Estevez, Y., Couлары-Salin, B., & Peruch, F. (2014). Homologous *Hevea brasiliensis* REF (Hevb1) and SRPP (Hevb3) present different auto-assembling. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1844(2), 473–485. <https://doi.org/10.1016/j.bbapap.2013.10.017>
- Berthelot, K., Peruch, F., & Lecomte, S. (2016). Highlights on *Hevea brasiliensis* (pro)hevein proteins. *Biochimie*, 127, 258–270. <https://doi.org/10.1016/j.biochi.2016.06.006>
- Boman, A. (2012). Protective gloves. *Kanerva's Occupational Dermatology, Second Edition*, 2, 1225–1234. https://doi.org/10.1007/978-3-642-02035-3_113
- Bruzzone, M., Corradini, G., De Chirico, A., Guiliani, G. & modini, G. (1969). Branching and molecular weight distribution in 1,4-cis-polyisoprenes and effect on the dynamic properties. *Fourth Int. Synth. Rubb. Symp. London*, p 83.
- Chaikumpollert, O., Yamamoto, Y., Suchiva, K., & Kawahara, S. (2012). Protein-free natural rubber. *Colloid and Polymer Science*, 290(4), 331–338. <https://doi.org/10.1007/s00396-011-2549-y>
- Chaikumpollert, O., Yamamoto, Y., Suchiva, K., Nghia, P. T., & Kawahara, S. (2012). Preparation and characterization of protein-free natural rubber. *Polymers for Advanced Technologies*, 23(4), 825–828. <https://doi.org/10.1002/pat.1965>
- Chollakup, R., Suwanruji, P., Tantatherdtam, R., & Smitthipong, W. (2019). New

- approach on structure-property relationships of stabilized natural rubbers. *Journal of Polymer Research*, 26(2), 1–11. <https://doi.org/10.1007/s10965-018-1685-1>
- Cornish, K. (2001). Biochemistry of natural rubber, a vital raw material, emphasizing biosynthetic rate, molecular weight and compartmentalization, in evolutionarily divergent plant species. *Natural Product Reports*, 18(2), 182–189. <https://doi.org/10.1039/a902191d>
- Dradjat, B. dan C. N. (2000). Perkembangan Karet Alam Dunia 1995-1999. *Dalam Tinjauan Komoditas Perkebunan, Vo. 1 No.*, 3–11.
- Fukuhara, L., AiMiyano, K., Yamamoto, Y., & Ishii, H. (2015). Removal of Proteins from natural Rubber Latex and Gloves. *Elastomere Und Kunststoffe Elastomers and Plastics*, 24–29.
- Hu, Y. G., Li, P. P., Mu, J. H., Mao, H. P., Wu, C. C., & Chen, B. (2008). Determination of total nitrogen content in fresh tea leaf using visible-near infrared spectroscopy. *Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis*, 28(12), 2821–2825. [https://doi.org/10.3964/j.issn.1000-0593\(2008\)12-2821-05](https://doi.org/10.3964/j.issn.1000-0593(2008)12-2821-05)
- Hunt, L. W., Kelkar, P., Reed, C. E., & Yunginger, J. W. (2002). Management of occupational allergy to natural rubber latex in a medical center: The importance of quantitative latex allergen measurement and objective follow-up. *Journal of Allergy and Clinical Immunology*, 110(2), S96–S106. <https://doi.org/10.1067/mai.2002.125442>
- Jayadevan, J., Alex, R., & Gopalakrishnapanicker, U. (2018). Deproteinised natural rubber latex grafted poly(dimethylaminoethyl methacrylate) – poly(vinyl alcohol) blend membranes: Synthesis, properties and application. *International Journal of Biological Macromolecules*, 107, 1821–1834. <https://doi.org/10.1016/j.ijbiomac.2017.10.042>
- Kawahara, S., Klinklai, W., Kuroda, H., & Isono, Y. (2004). Removal of proteins from natural rubber with urea. *Polymers for Advanced Technologies*, 15(4), 181–184. <https://doi.org/10.1002/pat.465>
- Kopman, A., & Hannuksela, M. (1983). Contact urticaria to rubber. *Duodecim*, 99(3), 221–224. <https://doi.org/10.1111/j.1365-2133.1979.tb15107.x>

- Marinho, J. R. D., & Tanaka, Y. (1999). Structural characterization of wild rubber: gel content. *J. Rubb. Res*, 2(4), 231–238.
- Nawamawat, K., Sakdapipanich, J. T., & Ho, C. C. (2010). Effect of deproteinized methods on the proteins and properties of natural rubber latex during storage. *Macromolecular Symposia*, 288(1), 95–103.
<https://doi.org/10.1002/masy.201050212>
- Neamah, A. I. (2017). Acetone Production. *The Hilltop Review*, 9(2), 12.
- Nun-anan, P., Wisunthorn, S., Pichaiyut, S., Nathaworn, C. D., & Nakason, C. (2020). Influence of nonrubber components on properties of unvulcanized natural rubber. *Polymers for Advanced Technologies*, 31(1), 44–59.
<https://doi.org/10.1002/pat.4746>
- Perrella, F. W., & Gaspari, A. A. (2002). Natural rubber latex protein reduction with an emphasis on enzyme treatment. *Methods*, 27(1), 77–86.
[https://doi.org/10.1016/S1046-2023\(02\)00055-5](https://doi.org/10.1016/S1046-2023(02)00055-5)
- Richard Oberreiter, Jan Enemaerke, D. B. (2014). (12) Patent Application Publication (10) Pub . No . : US 2014 / 0265900 A1 Sé156 Yv Patent Application Publication. *Apparatus and Methods for Controlling and Applying Flash Lamp Radation*, 1(19).
- Rolere, S., Liengprayoon, S., Vaysse, L., Sainte-Beuve, J., & Bonfils, F. (2015). Investigating natural rubber composition with Fourier Transform Infrared (FT-IR) spectroscopy: A rapid and non-destructive method to determine both protein and lipid contents simultaneously. *Polymer Testing*, 43, 83–93.
<https://doi.org/10.1016/j.polymertesting.2015.02.011>
- Samin Prihatin; Marga Utama; Wiwien Andriyanti. (2014). A Review on the Rubber Products From Irradiation Vulcanization. *Prosiding Seminar Nasional Kulit, Karet, Dan Plastik Ke-3, Yoyakarta, January*, 19–54.
- Soedjanaatmadja, U.M.S., J. Hofsteenge, J.J. Beintema, C. M. J. S. and A. . B. (1994). *Demonstration by Mass Spectrometry that pseudohevein and hevein have ragged C-terminal sequences.*
- Soedjanaatmadja U.M.S. (1998). Struktur Hevein dan Pseudohevein serta Proses Pembentukan Hevein di Dalam Lateks Hevea brasiliensis Muell Arg. *Disertasi-S3. Institut Teknologi Bandung.*

Staudinger, H. (1980). *From Organic Chemistry to Macromolecules*. Wiley-Interscience.

www.itk.ac.id

Stevens, P. M. (2001). *Polymer Chemistry: An Introduction*. Oxford University Press, Inc. Oxford.

Subroto, T., Van Koningsveld, G. A., Schreuder, H. A., Soedjanaatmadja, U. M. S., & Beintema, J. J. (1996). Chitinase and β -1,3-glucanase in the luteoid-body fraction of Hevea latex. *Phytochemistry*, 43(1), 29–37.

[https://doi.org/10.1016/0031-9422\(96\)00196-3](https://doi.org/10.1016/0031-9422(96)00196-3)

Suksaeree, J., Taweepreda, W., & Pichayakorn, W. (2015). Surfactant treatment and leaching combination process for preparation of deproteinized natural rubber latex. *Key Engineering Materials*, 659, 500–504.

<https://doi.org/10.4028/www.scientific.net/KEM.659.500>

Tangpakdee, J., & Tanaka, Y. (1998). Long-chain polyprenols and rubber in young leaves of Hevea brasiliensis. *Phytochemistry*, 48(3), 447–450.

[https://doi.org/10.1016/S0031-9422\(98\)00021-1](https://doi.org/10.1016/S0031-9422(98)00021-1)

Turjanmma K, Laurita K, Makinen-Kiljunen S, R. T. (n.d.). *Contact Urticaria from Rubber Gloves - Occupational Dermatoses*.

Utama M, Soebianto Y. S, Marsongko, Sumarti M, S. (1999). Studi produksi sarung tangan bedah berprotein rendah dari lateks alam iradiasi dalam skala industri rumah tangga. *Prosiding Pertemuan Ilmiah Ilmu Pengetahuan Dan Teknologi Bahan '99.*, ISSN 1411-2213.

Vaysse, L., Bonfils, F., Sainte-Beuve, J., & Cartault, M. (2012). Natural Rubber. In *Polymer Science: A Comprehensive Reference, 10 Volume Set* (Vol. 10, Issue November). <https://doi.org/10.1016/B978-0-444-53349-4.00267-3>

Yooyanyong, A., Danwanichakul, D., & Danwanichakul, P. (2016). *The effect of remaining SDS on protein release in later leaching steps of deproteinized natural rubber*. 43(March), 41–46. <https://doi.org/10.14456/kkuenj.2016.7>

www.itk.ac.id