

DAFTAR PUSTAKA

www.itk.ac.id

- Achan, J. *et al.* (2011) "Quinine, an old anti-malarial drug in a modern world: Role in the treatment of malaria," *Malaria Journal*, 10(1), hal. 144. doi: 10.1186/1475-2875-10-144.
- Acheampong, P. *et al.* (2013) "Effects of MHRA drug safety advice on time trends in prescribing volume and indices of clinical toxicity for quinine," *British Journal of Clinical Pharmacology*, 76(6), hal. 973–979. doi: 10.1111/bcp.12130.
- Allegrini, F. dan Olivieri, A. C. (2020) *Figures of Merit*. 2 ed, *Comprehensive Chemometrics*. 2 ed. Elsevier Inc. doi: 10.1016/b978-0-12-409547-2.14612-8.
- Anderson, L. A. (2022) *Drug Names and Their Pharmaceutical Salts - Clearing Up the Confusion*, *drugs.com*. Tersedia pada: <https://www.drugs.com/article/pharmaceutical-salts.html> (Diakses: 10 Juli 2023).
- Asai, K. *et al.* (2016) "Surface Termination Effect of Boron-Doped Diamond on the Electrochemical Oxidation of Adenosine Phosphate," *Electroanalysis*, 28(1), hal. 177–182. doi: 10.1002/elan.201500505.
- Azadmehr, F. dan Zarei, K. (2019) "Fabrication of an imprinted electrochemical sensor from L-tyrosine, 3-methyl-4-nitrophenol and gold nanoparticles for quinine determination," *Bioelectrochemistry*, 127, hal. 59–67. doi: 10.1016/j.bioelechem.2019.01.001.
- Bai, R. G. *et al.* (2019) "Graphene-based 3D scaffolds in tissue engineering: Fabrication, applications, and future scope in liver tissue engineering," *International Journal of Nanomedicine*, 14(July), hal. 5753–5783. doi: 10.2147/IJN.S192779.
- Bard, A. J. dan Faulkner, L. R. (2001) *Double-Layer Structure and Adsorption, Electrochemical Methods - Fundamentals and Applications*.
- Besir Arvas, M., Gencten, M. dan Sahin, Y. (2022) "Investigation of supercapacitor properties of chlorine-containing functional groups doped graphene electrodes," *Journal of Electroanalytical Chemistry*, 918(May), hal. 116438. doi: 10.1016/j.jelechem.2022.116438.

- Bonales, L. J. *et al.* (2016) "Raman Spectroscopy, a Useful Tool to Study Nuclear Materials," *Applications of Molecular Spectroscopy to Current Research in the Chemical and Biological Sciences*. doi: 10.5772/64436.
- Brett, C. M. A. (1993) *Electrochemistry: principles, methods, and applications, Biomedizinische Technik*. Oxford University Press, Oxford, 1993. doi: 10.1515/bmte.1999.44.s2.11.
- Brosler, P. *et al.* (2023) "In-house vs. commercial boron-doped diamond electrodes for electrochemical degradation of water pollutants: A critical review," *Frontiers in Materials*, 10(March), hal. 1–27. doi: 10.3389/fmats.2023.1020649.
- Buleandra, M. *et al.* (2018) "Rapid voltammetric method for quinine determination in soft drinks," *Food Chemistry*, 253(June 2017), hal. 1–4. doi: 10.1016/j.foodchem.2018.01.130.
- Climent, V. dan Feliu, J. M. (2018) "Cyclic voltammetry," *Encyclopedia of Interfacial Chemistry: Surface Science and Electrochemistry*, hal. 48–74. doi: 10.1016/B978-0-12-409547-2.10764-4.
- Dar, R. A. *et al.* (2012) "Electrochemical studies of quinine in surfactant media using hanging mercury drop electrode: A cyclic voltammetric study," *Colloids and Surfaces B: Biointerfaces*, 98, hal. 72–79. doi: 10.1016/j.colsurfb.2012.04.035.
- Dey, T. (2023) "Microplastic pollutant detection by Surface Enhanced Raman Spectroscopy (SERS): a mini-review," *Nanotechnology for Environmental Engineering*, 8(1), hal. 41–48. doi: 10.1007/S41204-022-00223-7/FIGURES/5.
- Didik, L. A. (2020) "PENENTUAN UKURAN BUTIR KRISTAL $\text{CuCr}_{0,98}\text{Ni}_{0,02}\text{O}_2$ DENGAN MENGGUNAKAN X-RAY DIFRACTION (XRD) DAN SCANNING ELECTRON MICROSCOPE (SEM)," *Indonesian Physical Review*, 3(1), hal. 6–14. doi: 10.29303/ipr.v3i1.37.
- Dushna, O. *et al.* (2023) "Sensitive and selective voltammetric method for determination of quinoline alkaloid, quinine in soft drinks and urine by applying a boron-doped diamond electrode," *Microchemical Journal*,

- 191(March), hal. 108839. doi: 10.1016/j.microc.2023.108839.
- Einaga, Y. (2010) "Diamond electrodes for electrochemical analysis," hal. 1807–1816. doi: 10.1007/s10800-010-0112-z.
- Einaga, Y., Foord, J. S. dan Swain, G. M. (2014) "Diamond electrodes: Diversity and maturity," *MRS Bulletin*, 39(6), hal. 525–532. doi: 10.1557/mrs.2014.94.
- Elgrishi, N. *et al.* (2018) "A Practical Beginner's Guide to Cyclic Voltammetry," *Journal of Chemical Education*, 95(2), hal. 197–206. doi: 10.1021/acs.jchemed.7b00361.
- Galvao, J. *et al.* (2014) "Unexpected low-dose toxicity of the universal solvent DMSO," *FASEB Journal*, 28(3), hal. 1317–1330. doi: 10.1096/fj.13-235440.
- Geto, A. *et al.* (2012) "Polymer-modified glassy carbon electrode for the electrochemical detection of quinine in human urine and pharmaceutical formulations," *Analytical and Bioanalytical Chemistry*, 404(2), hal. 525–530. doi: 10.1007/s00216-012-6171-8.
- Głód, B. K., Kiersztyn, I. dan Piszcz, P. (2014) "Total antioxidant potential assay with cyclic voltammetry and/or differential pulse voltammetry measurements," *Journal of Electroanalytical Chemistry*, 719, hal. 24–29. doi: 10.1016/j.jelechem.2014.02.004.
- Guerreiro, G. V., Zaitouna, A. J. dan Lai, R. Y. (2014) "Characterization of an electrochemical mercury sensor using alternating current, cyclic, square wave and differential pulse voltammetry," *Analytica Chimica Acta*, 810, hal. 79–85. doi: 10.1016/j.aca.2013.12.005.
- Guth, U., Vonau, W. dan Zosel, J. (2009) "Recent developments in electrochemical sensor application and technology - A review," *Measurement Science and Technology*, 20(4). doi: 10.1088/0957-0233/20/4/042002.
- Guy, O. J. dan Walker, K. A. D. (2016) *Graphene Functionalization for Biosensor Applications*. Second Edi, *Silicon Carbide Biotechnology: A Biocompatible Semiconductor for Advanced Biomedical Devices and Applications: Second Edition*. Second Edi. Elsevier Inc. doi:

10.1016/B978-0-12-802993-0.00004-6.

- Hayat, M. *et al.* (2021) "Review: Perkembangan dan Aplikasi Biosensor untuk Mendeteksi Aflatoksin," *Warta Akab*, 45(2), hal. 71–77. doi: 10.55075/wa.v45i2.54.
- Herlina, H., Zulfikar, M. A. dan Buchari, B. (2018) "Cyclic Voltammetry Study of Mediated Electrochemical Oxidation Using Platinum Wire, Pt/Co(OH)₂ and Pt/Co Electrodes In Various Supporting Electrolytes," *JKPK (Jurnal Kimia dan Pendidikan Kimia)*, 3(2), hal. 82. doi: 10.20961/jkpk.v3i2.22330.
- Hutton, L. *et al.* (2013) "Anal. Chem. 2013, 85, 7230–7240_Hutton.pdf," *Anal. Chem.*, 85, hal. 7230–7240.
- Jain, R. *et al.* (2013) "Ultrasound assisted dispersive liquid-liquid microextraction followed by injector port silylation: A novel method for rapid determination of quinine in urine by GC-MS," *Bioanalysis*, 5(18), hal. 2277–2286. doi: 10.4155/bio.13.188.
- Jati, F., Hutabarat, J. dan Herawati, V. E. (2012) "Pengaruh Penggunaan Dua Jenis Media Kultur Teknis yang Berbeda Terhadap Pola Pertumbuhan, Kandungan Protein dan Asam Lemak Omega 3 EPA (*Chaetoceros gracilis*)," *Journal of Aquaculture Management and Technology*, 1(1), hal. 221–235.
- Karakaya, S., Kartal, B. dan Dilgin, Y. (2020) "Ultrasensitive voltammetric detection of an antimalarial drug (amodiaquine) at a disposable and low cost electrode," *Monatshefte fur Chemie*, 151(7), hal. 1019–1026. doi: 10.1007/s00706-020-02637-y.
- Karan, S. *et al.* (2015) "Shape based characterization of nanoparticles - A fuzzy mathematical approach," *Proceedings of the Indian National Science Academy*, 81(5), hal. 1183–1192. doi: 10.16943/ptinsa/2015/v81i5/48336.
- Kemenkes RI. (2021) *Profil Kesehatan Indo-nesia*.
- Koçak, B., İpek, Y. dan Keçeci, A. (2023) "A novel electrochemical sensor for metoprolol analysis based on glutardialdehyde–zinc oxide modified boron doped diamond electrode," *Diamond and Related Materials*, 131(September 2022). doi: 10.1016/j.diamond.2022.109558.

- Kondo, T., Horitani, M. dan Yuasa, M. (2012) "Sensitive Electrochemical Detection of Glucose at Glucose Oxidase-Cobalt Phthalocyanine-Modified Boron-Doped Diamond Electrode," *International Journal of Electrochemistry*, 2012, hal. 1–6. doi: 10.1155/2012/943957.
- Li, B., Zhang, Z. dan Wu, M. (2000) "Flow-injection chemiluminescence determination of quinine using on-line electrogenerated cobalt(III) as oxidant," *Talanta*, 51(3), hal. 515–521. doi: 10.1016/S0039-9140(99)00310-0.
- Macpherson, J. V. (2015) "A practical guide to using boron doped diamond in electrochemical research," *Physical Chemistry Chemical Physics*, 17(5), hal. 2935–2949. doi: 10.1039/c4cp04022h.
- Maschmann, M., Fisher, T. dan Amam, P. (2011) "Enhanced Control of Single-Walled Carbon Nanotube Properties Using MPCVD with DC Electrical Bias," *Electronic Properties of Carbon Nanotubes*, (May 2014). doi: 10.5772/16975.
- Minami, N. dan Ino, T. (1986) "The structure of glassy carbon," *Japanese Journal of Applied Physics*, 25(3 R), hal. 328–335. doi: 10.1143/JJAP.25.328.
- Mirghani, R. A. *et al.* (2001) "Simultaneous determination of quinine and four metabolites in plasma and urine by high-performance liquid chromatography," *Journal of Chromatography B: Biomedical Sciences and Applications*, 754(1), hal. 57–64. doi: 10.1016/S0378-4347(00)00577-6.
- Mundinamani, S. . dan Rabinal, M. . (2014) "Cyclic Voltammetric Studies on the Role of Electrode, Electrode Surface Modification and Electrolyte Solution of an Electrochemical Cell," *IOSR Journal of Applied Chemistry*, 7(9), hal. 45–52. doi: 10.9790/5736-07924552.
- Nicholson, R. S. (1965) "Theory and Application of Cyclic Voltammetry for Measurement of Electrode Reaction Kinetics," *Analytical Chemistry*, 37(11), hal. 1351–1355. doi: 10.1021/ac60230a016.
- Olubiyi, O. I. *et al.* (2015) *Advances in Molecular Imaging for Surgery, Image-Guided Neurosurgery*. doi: 10.1016/B978-0-12-800870-6.00017-0.
- Orata, D. *et al.* (2014) "Surface Modified Electrodes Used In Cyclic

Voltammetric Profiling Of Quinine An Anti-Malarial Drug,” *IOSR Journal of Applied Chemistry*, 7(5), hal. 81–89. doi: 10.9790/5736-07528189.

Pradid, P. *et al.* (2021) “Carbon electrodes in perovskite photovoltaics,” *Materials*, 14(20), hal. 1–14. doi: 10.3390/ma14205989.

Putri, W. J. dan Isa, I. (2021) “Studi Literatur Sensor Glukosa Untuk Darah Manusia Menggunakan Sensor Elektrokimia Berbasis Glassy Carbon Electrode (GCE) dengan Metode Voltametri,” *Jurnal Fisika Unand (JFU)*, 10(3), hal. 324–329.

Ryl, J. *et al.* (2016) “Study on surface termination of boron-doped diamond electrodes under anodic polarization in H₂SO₄ by means of dynamic impedance technique,” *Carbon*, 96, hal. 1093–1105. doi: 10.1016/j.carbon.2015.10.064.

Saha, N. (2017) *Clinical Pharmacokinetics and Drug Interactions, Pharmaceutical Medicine and Translational Clinical Research*. Elsevier Inc. doi: 10.1016/B978-0-12-802103-3.00006-7.

Scholz, F. (2010) “Electroanalytical methods: Guide to experiments and applications,” *Electroanalytical Methods: Guide to Experiments and Applications*, hal. 1–359. doi: 10.1007/978-3-642-02915-8.

Shrivastava, K. dan Wu, H. F. (2007) “Quantitative bioanalysis of quinine by atmospheric pressure-matrix assisted laser desorption/ionization mass spectrometry combined with dynamic drop-to-drop solvent microextraction,” *Analytica Chimica Acta*, 605(2), hal. 153–158. doi: 10.1016/j.aca.2007.10.032.

Simões, F. R. dan Xavier, M. G. (2017) *Electrochemical Sensors, Nanoscience and its Applications*. Elsevier Inc. doi: 10.1016/B978-0-323-49780-0.00006-5.

Smith, E. dan Dent, G. (2019) *Modern raman spectroscopy: A practical approach, Modern Raman Spectroscopy: A Practical Approach*. doi: 10.1002/0470011831.

Suliborska, K. *et al.* (2019) “Determination of Antioxidant Activity of Vitamin C by Voltammetric Methods,” hal. 23. doi:

10.3390/proceedings2019011023.

Sutarto, E. C. B. (2017) "Faktor Lingkungan, Perilaku dan Penyakit Malaria. Fakultas Kedokteran, Universitas Lampung," *J AgromedUnila*, 4(1), hal. 173–184.

Tempong buka, H., Kendek Allo, E. dan U A Sompie, S. R. (2015) "Rancang Bangun Sistem Keamanan Rumah Menggunakan Sensor PIR (Passive Infrared) Dan SMS Sebagai Notifikasi," *Journal Teknik Elektro dan Komputer*, 4(6), hal. 10–15. Tersedia pada: <https://ejournal.unsrat.ac.id/index.php/elekdankom/article/view/9992>.

Triana, Y., Irkham dan Einaga, Y. (2022) "Electrochemical Oxidation Behavior of Nitrogen Dioxide for Gas Detection Using Boron Doped Diamond Electrodes," *Electroanalysis*, 34(4), hal. 752–760. doi: 10.1002/elan.202100122.

Triana, Y., Tomisaki, M. dan Einaga, Y. (2020) "Oxidation reaction of dissolved hydrogen sulfide using boron doped diamond," *Journal of Electroanalytical Chemistry*, 873, hal. 114411. doi: 10.1016/j.jelechem.2020.114411.

Wahyuni, W. T., Darusman, L. K. dan Diksy, Y. (2018) "Deteksi Kurkumin dan Bisdemetoksikurkumin dengan Teknik Voltametri Menggunakan Elektrode Boron-Doped Diamond," *ALCHEMY Jurnal Penelitian Kimia*, 14(2), hal. 253. doi: 10.20961/alchemy.14.2.19576.253-266.

Walczak, M. M. *et al.* (1997) "Education pH-dependent redox couple: Illustrating the Nernst equation using cyclic voltammetry," *Journal of Chemical Education*, 74(10), hal. 1195–1197. doi: 10.1021/ed074p1195.

West, G Sterling, Kolfenbach, J. (2019) *Rheumatology Secrets by Sterling West, Jason Kolfenbach*.

World Health Organization (2022) *World Malaria Report, World Health*. doi: ISBN 978 92 4 1564403.

Zaugg, S. dan Thormann, W. (2001) "Capillary electrophoretic separation, immunochemical recognition and analysis of the diastereomers quinine and quinidine and two quinidine metabolites in body fluids," *Journal of Pharmaceutical and Biomedical Analysis*, 24(5–6), hal. 785–799. doi:

10.1016/S0731-7085(00)00546-X.

Zhan, X. M., Liu, L. H. dan Gao, Z. N. (2011) "Electrocatalytic oxidation of quinine sulfate at a multiwall carbon nanotubes-ionic liquid modified glassy carbon electrode and its electrochemical determination," *Journal of Solid State Electrochemistry*, 15(6), hal. 1185–1192. doi: 10.1007/s10008-010-1184-8.

Zhang, Z., Zhou, J. dan Du, X. (2019) "Electrochemical biosensors for detection of foodborne pathogens," *Micromachines*, 10(4). doi: 10.3390/mi10040222.



www.itk.ac.id