

DAFTAR PUSTAKA

- Alagiri, M., & Hamid, S. B. A. (2014). "Green synthesis of α -Fe₂O₃ nanoparticles for photocatalytic application". *Journal of Materials Science: Materials in Electronics*, 25(8), 3572–3577.
- Alfredo Reyes Villegas, V., Isaías De León Ramírez, J., Hernandez Guevara, E., Perez Sicairos, S., Angelica Hurtado Ayala, L., & Landeros Sanchez, B. (2019). Synthesis and characterization of magnetite nanoparticles for photocatalysis of nitrobenzene. *Journal of Saudi Chemical Society*.
- Al Hakimi, N. S., Hanapi, A., & Fasya, A. G. (2017). Green Synthesis Senyawa Imina dari Vanillin and Anilina dengan Katalis Alami Air Jeruk Nipis (*Citrus aurantifolia*). *ALCHEMY*, 5(4), 120-124.
- Arabi, Abbasi, A., Mirhabibi, A., H., Golmohammad, M., & Brydson, R. (2016). Synthesis, characterization and electrochemical performances of γ -Fe₂O₃ cathode material for Li-ion batteries. *Journal of Materials Science: Materials in Electronics*, 27(8), 7953–7961.
- Baqer, A. A., Matori, K. A., Al-Hada, N. M., Shaari, A. H., Saion, E., & Chyi, J. L. Y. (2017). Effect of polyvinylpyrrolidone on cerium oxide nanoparticle.
- Baunsele, A. B., & Missa, H. (2020). Kajian kinetika adsorpsi metilen biru menggunakan adsorben sabut kelapa. *Akta Kimia Indonesia*, 5(2), 76-85.
- Bouafia, A., Laouini, S. E., Khelef, A., Tedjani, M. L., & Guemari, F. (2020). Effect of Ferric Chloride Concentration on the Type of Magnetite (Fe₃O₄) Nanoparticles Biosynthesized by Aqueous Leaves Extract of Artemisia and Assessment of Their Antioxidant Activities. *Journal of Cluster Science*, 32(4), 1033–1041.
- Chauhan, A. (2014). Powder XRD Technique and its Applications in Science and Technology. *Journal of Analytical & Bioanalytical Techniques*, 5(6).
- Daochalermwong, A., Chanka, N., Songsrirote, K., Dittanet, P., Niamnuy, C., & Seubsai, A. (2020). Removal of heavy metal ions using modified celluloses prepared from pineapple leaf fiber. *Acs Omega*, 5(10), 5285-5296.
- Dhar, P. K., Saha, P., Hasan, M. K., Amin, M. K., & Haque, M. R. (2021). Green synthesis of magnetite nanoparticles using *Lathyrus sativus* peel extract and evaluation of their catalytic activity. *Cleaner Engineering and Technology*, 3, 100117.
- Dini, E. W. P. (2014). Degradasi metilen blue menggunakan fotokatalis ZnO-zeolit. *Chemistry Progress*, 7(1).

- Dirgayanti, D. S., Koesnarpadi, S., & Hindryawati, N. (2021). Synthesis and characterization of Fe₃O₄-Activated Carbon and it's application to adsorb methylene blue. In IOP Conference Series: Earth and Environmental Science (Vol. 623, No. 1, p. 012070). IOP Publishing.
- Emeka, E. E., Ojiefoh, O. C., Aleruchi, C., Hassan, L. A., Christiana, O. M., Rebecca, M., ... & Temitope, A. E. (2014). Evaluation of antibacterial activities of silver nanoparticles green-synthesized using pineapple leaf (*Ananas comosus*). *Micron*, 57, 1-5.
- Ermawati, R., & Ratnawati, E. (2011). Sintesis Nanopartikel Magnetit Dengan Metode Dekomposisi Termal. *Jurnal Kimia dan Kemasan*, 33(1), 96-101.
- Fatimah, I., & Wijaya, K. (2005). Sintesis TiO₂/zeolit sebagai fotokatalis pada pengolahan limbah cair industri tapioka secara adsorpsi-fotodegradasi. *Teknoin*, 10(4).
- Firmansyah, D. (2020) "Identification of Hydroxyl and Carbonyl Compounds at Pineapple Leafs Plant". *SainsTech Innovation Journal* 3(1) 2020, 49-53.
- H.Qu, & M.Wei. (2008). Improvement of Bonding strength between biomimeticapatite coating substrate. *Journal of biomedical Materials Research Part B:Applied Biomaterials* , 436.
- Habibi-Yangjeh, A., Pirhashemi, M., & Ghosh, S. (2020). ZnO/ZnBi₂O₄ nanocomposites with pn heterojunction as durable visible-light-activated photocatalysts for efficient removal of organic pollutants. *Journal of Alloys and Compounds*, 826, 154229.
- Hakim, Azizul, Mohd. Ambar Yarmo, Tengku Sharifah Marliza, Maratun Najiha Abu Tahari, Wan Zurina Samad, Muhammad Rahimi Yusop, Mohamed Wahab Mohamed Hisham, Norliza Dzakaria.(2016). THE INFLUENCE OF CALCINATION TEMPERATURE ON IRON OXIDE (α -Fe₂O₃) TOWARDS CO₂ ADSORPTION PREPARED BY SIMPLE MIXING METHOD. *Malaysian Journal of Analytical Sciences*, Vol 20 No 6 (2016): 1286 - 1298
- Handayani, A. W. (2010). Penggunaan selulosa daun nanas sebagai adsorben logam berat CD (II).
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., & Zein, R. (2020). Biosorption of indigo carmine from aqueous solution by Terminalia Catappa shell. *Journal of Environmental Chemical Engineering*, 8(5), 104290.
- Hevira, L., Zilfa, Rahmayeni, Ighalo, J. O., Aziz, H., & Zein, R. (2021). *Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions*. *Journal of Industrial and Engineering Chemistry*, 97, 188–199.

- Hidayat, P. (2008). Teknologi pemanfaatan serat daun nanas sebagai alternatif bahan baku tekstil. *Teknoin*, 13(2).
- Hussain, I., Singh, N. B., Singh, A., Singh, H., & Singh, S. C. (2015). Green synthesis of nanoparticles and its potential application. *Biotechnology Letters*, 38(4), 545–560.
- Iida, H., Takayanagi, K., Nakanishi, T., & Osaka, T. (2007). Synthesis of Fe₃O₄ nanoparticles with various sizes and magnetic properties by controlled hydrolysis. *Journal of colloid and interface science*, 314(1), 274-280.
- Inkson, B. J. (2016). Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) for materials characterization. In *Materials characterization using nondestructive evaluation (NDE) methods* (pp. 17-43). Woodhead Publishing.
- Jabar, J. M., Odusote, Y. A., Ayinde, Y. T., & Yilmaz, M. (2022). African almond (*Terminalia catappa L*) leaves biochar prepared through pyrolysis using H₃PO₄ as chemical activator for sequestration of methylene blue dye. *Results in Engineering*, 14, 100385.
- Kaneko, K. (1994). Determination of pore size and pore size distribution: 1. Adsorbents and catalysts. *Journal of membrane science*, 96(1-2), 59-89.
- Khan, I.; Saeed, K.; Zekker, I.; Zhang, B.; Hendi, A.H.; Ahmad, A.; Ahmad, S.; Zada, N.; Ahmad, H.; Shah, L.A.; et al. Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. *Water* 2022, 14, 242.
- Kustiningsih, I., & Sari, D. K. (2017). Uji adsorbsi zeolit alam bayah dan pengaruh sinar ultraviolet terhadap degradasi limbah methylene blue. *Teknika: Jurnal Sains dan Teknologi*, 13(1), 25-34.
- Latha, N., & Gowri, M. (2014). Biosynthesis and characterisation of Fe₃O₄ nanoparticles using Caricaya papaya leaves extract. *Int J Sci Res*, 3(11), 1551-1556.
- Laurent, S., Forge, D., Port, M., Roch, A., Robic, C., Vander Elst, L., & Muller, R. N. (2008). Magnetic Iron Oxide Nanoparticles: Synthesis, Stabilization, Vectorization, Physicochemical Characterizations, and Biological Applications. *Chemical Reviews*, 108(6), 2064–2110. doi:10.1021/cr068445e
- Le Pevelen, D. D. (2010). Small molecule X-ray crystallography, theory and workflow.
- Liu, T., Li, Y., Du, Q., Sun, J., Jiao, Y., Yang, G., ... & Wu, D. (2012). Adsorption of methylene blue from aqueous solution by graphene. *Colloids and Surfaces B: Biointerfaces*, 90, 197-203.

- Ma'rufah, H., Rohmaniah, S., Aripin, M., & Sutanto, H. (2019). SINTESIS MATERIAL NANO Fe₃O₄ DARI KARAT BESI YANG BERPOTENSI DIAPLIKASIKAN SEBAGAI SOLAR ABSORBER PADA QUANTUM DOT SENSITIZED SOLAR CELL (QDSSC). *BERKALA FISIKA*, 22(3), 117-122.
- RIZKYKA, M. P. A. (2015). PENERAPAN METODE SPEKTROFOTOMETER SINAR TAMPAK UNTUK MENGUJI KANDUNGAN GLUKOSA PADA WORTEL (Daucus Carota L.) The Application of Visible Spectrophotometer Method for Testing of Glucose Content from Carrot (Daucus Carota L.) (Doctoral dissertation, Undip).
- Musfiroh, I., Hasanah, A. N., Faradiba, G. A., Ayumiati, I., Mutakin, M., & Muchtaridi, M. (2019). Modification of extraction methods on determining simeticone suspension using FTIR Method. *Indonesian Journal of Pharmaceutical Science and Technology*, 6(3), 125-133.
- Noviarty, N., & Anggraini, D. (2014). Analisis Neodimium menggunakan Metoda Spektrofotometri UV-Vis. *PIN Pengelolaan Instalasi Nuklir*, (11).
- Parveen, K., Banse, V., & Ledwani, L. (2016, April). Green synthesis of nanoparticles: their advantages and disadvantages. In *AIP conference proceedings* (Vol. 1724, No. 1, p. 020048). AIP Publishing LLC.
- Rahmayanti, M. (2020). Sintesis dan Karakterisasi Magnetit (Fe₃O₄): Studi Komparasi Metode Konvensional dan Metode Sonokimia. *AL-ULUM: JURNAL SAINS DAN TEKNOLOGI*, 6(1), 26-31.
- Rajendhiran, R., Deivasigamani, V., Palanisamy, J., Masan, S., & Pitchaiya, S. (2021). Terminalia catappa and carissa carandas assisted synthesis of TiO₂ nanoparticles—A green synthesis approach. *Materials Today: Proceedings*, 45, 2232-2238.
- Sari, R. N., Chasanah, E., & Nurhayati, N. (2018). Nanopartikel Seng Oksida (ZnO) dari Biosintesis Ekstrak Rumput Laut Coklat *Sargassum* sp. dan *Padina* sp.
- Setiawan, A. A., Shofiyani, A., & Syahbanu, I. (2017). Pemanfaatan limbah daun nanas (*Ananas comosus*) sebagai bahan dasar arang aktif untuk adsorpsi Fe (II). *Jurnal Kimia Khatulistiwa*, 6(3).
- Shen, Y. F., Tang, J., Nie, Z. H., Wang, Y. D., Ren, Y., & Zuo, L. (2009). Preparation and application of magnetic Fe₃O₄ nanoparticles for wastewater purification. *Separation and Purification Technology*, 68(3), 312–319. doi:10.1016/j.seppur.2009.05.020
- Sjahfirdi, L., Aldi, N., Maheshwari, H., & Astuti, P. (2015). Aplikasi Fourier Transform Infrared (Ftir) Dan Pengamatan Pembengkakan Genital Pada Spesies Primata, Lutung Jawa (*Trachypithecus auratus*) Untuk Mendeteksi

Masa Subur. *Jurnal Kedokteran Hewan-Indonesian Journal of Veterinary Sciences*, 9(2).

- Soto-Robles, C. A., Luque, P. A., Gómez-Gutiérrez, C. M., Nava, O., Vilchis-Nestor, A. R., Lugo-Medina, E., & Castro-Beltrán, A. (2019). Study on the effect of the concentration of Hibiscus sabdariffa extract on the green synthesis of ZnO nanoparticles. *Results in Physics*, 15, 102807.
- Sulungbuludi, Grace Tj, Mujamilah, dan Ridwan. 2006. "Variasi Komposisi Fe(II)/Fe(III) pada Proses Sintesis Spion dengan Metode Presipitasi". *Jurnal Sains Materi Indonesia* Vol.8 : 31-34.
- Takai, Z. I., Mustafa, M. K., Asman, S., & Sekak, K. A. (2019). Preparation and characterization of magnetite (Fe_3O_4) nanoparticles by sol-gel method. *Int. J. Nanoelectron. Mater.*, 12, 37-46.
- Teja, A. S., & Koh, P. Y. (2009). Synthesis, properties, and applications of magnetic iron oxide nanoparticles. *Progress in crystal growth and characterization of materials*, 55(1-2), 22-45.
- Vinayagam, R., Pai, S., Varadavenkatesan, T., Narasimhan, M. K., Narayanasamy, S., & Selvaraj, R. (2020). Structural characterization of green synthesized α - Fe_2O_3 nanoparticles using the leaf extract of *Spondias dulcis*. *Surfaces and Interfaces*, 20, 100618.
- Widayatno, T. (2017). Adsorpsi logam berat (Pb) dari limbah cair dengan adsorben arang bambu aktif. *Jurnal teknologi bahan alam*, 1(1), 17-23.
- Worawong, A., Jutarosaga, T., & Onreabroy, W. (2014). Influence of calcination temperature on synthesis of magnetite (Fe_3O_4) nanoparticles by sol-gel method. In *Advanced Materials Research* (Vol. 979, pp. 208-211). Trans Tech Publications Ltd.
- Yadav, P., Manjunath, H., & Selvaraj, R. (2019). Antibacterial and dye degradation potential of zero-valent silver nanoparticles synthesised using the leaf extract of *Spondias dulcis*. *IET nanobiotechnology*, 13(1), 84-89.