

DAFTAR PUSTAKA

www.itk.ac.id

- Abdulkadir, B.A., Dennis, J.O., Fadhlullah Bin Abd. Shukur, M., Elsayed Nasef, M.M. and Usman, F., 2020. Preparation and characterization of gel polymer electrolyte based on PVA-K₂CO₃. *Polymer-Plastics Technology and Materials*, 59(15), pp.1679-1697
- Abimanyu, F., & Rosi, M. (2021). Fabrikasi Elektroda Karbon Aktif Superkapasitor Dengan Menggunakan Metode Hotpress Fabrication of Supercapacitor Activated Carbon Electrodes Using the Hotpress Method. 8(5), 5685–5692
- Atina, A. (2015). Tegangan dan kuat arus listrik dari sifat asam buah. *Sainmatika: Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, 12(2).
- Borghei, S.A., Zare, M.H., Ahmadi, M., Sadeghi, M.H., Marjani, A., Shirazian, S. and Ghadiri, M. (2021), “Synthesis of multi-application activated carbon from oak seeds by KOH activation for methylene blue adsorption and electrochemical supercapacitor electrode”, *Arabian Journal of Chemistry*, The Author(s), Vol. 14 No. 2, p. 102958.
- Bukry Chamma Siburian, I. T. 2015. Perancangan Alat Pengisi Baterai Lead Acid Berbasis Mikrokontroler ATMEGA 8535.
- Cazetta, A.L., Vargas, A.M., Nogami, E.M., Kunita, M.H., Guilherme, M.R., Martins, A.C., Silva, T.L., Moraes, J.C. and Almeida, V.C., 2011. NaOH-activated carbon of high surface area produced from coconut shell: Kinetics and equilibrium studies from the methylene blue adsorption. *Chemical Engineering Journal*, 174(1), pp.117-125.
- Dari, S., Gergaji, S., & Karet, K. (2018). Penambahan Surfaktan Pada Pembuatan Elektroda Karbon. May 2016.
- Dennis, J.O., Shukur, M.F., Aldaghri, O.A., Ibnaouf, K.H., Adam, A.A., Usman, F., Hassan, Y.M., Alsadig, A., Danbature, W.L. and Abdulkadir, B.A., 2023. A Review of Current Trends on Polyvinyl Alcohol (PVA)-Based Solid Polymer Electrolytes. *Molecules*, 28(4), p.1781.

- Donohue, M. D., & Aranovich, G. L. 1998. Classification of Gibbs adsorption isotherms. *Advances in colloid and interface science*, 76, 137-152.
- Dornbusch, D.A., Hilton, R., Gordon, M.J. and Suppes, G.J., 2013. Effects of carbon surface area on performance of lithium sulfur battery cathodes. *Journal of Industrial and Engineering Chemistry*, 19(6), pp.1968-1972
- Efiyanti, L., Wati, S.A. and Maslahat, M., 2020. Pembuatan dan analisis karbon aktif dari cangkang buah karet dengan proses kimia dan fisika. *Jurnal Ilmu Kehutanan*, 14(1), pp.94-108.
- Evelin, L.S., Faryuni, I.D. and Sampurno, J., (2018). "Aplikasi Metode Fraktal untuk Karakterisasi Struktur Mikroskopik Karbon Aktif Limbah Tandan Sawit Teraktivasi NaOH". *PRISMA FISIKA*, 6(1), pp.39-43.
- Fauzi, Y., Widayastuti, Y. E., Satyawibawa, I., & Paeru, R. H. (2012). *Kelapa sawit*. Penebar Swadaya Grup.
- Gea, S., Muis, Y., Novita, T. and Piliang, A.F., 2018, November. Synthesis of carbon nanodots from cellulose nanocrystals oil palm empty fruit by pyrolysis method. In *Journal of Physics: Conference Series* (Vol. 1120, No. 1, p. 012071). IOP Publishing.
- González-García, P. (2018). Activated carbon from lignocellulosics precursors: A review of the synthesis methods, characterization techniques and applications. *Renewable and Sustainable Energy Reviews*, 82(xxxx), 1393– 1414. <https://doi.org/10.1016/j.rser.2017.04.117>
- Hamid, R. M., Rizky, R., Amin, M., & Dharmawan, I. B. 2016. Rancang Bangun Charger Baterai Untuk Kebutuhan UMKM. *JTT (Jurnal Teknologi Terpadu)*, 4(2), 130-136.
- Han, R. R., Zhu, H. Y., Li, M. P., Yang, W. T., Lu, C., Zhang, Y. S., Zhang, B. M., Liang, X. R., & Liu, M. C. (2020). Efficient preparation of spongy-like porous activated carbon from waste millfeed towards high performance supercapacitors. *Nano*, 15(8). <https://doi.org/10.1142/S179329202050106>.

Harahap, M. R. 2016. Sel Elektrokimia: Karakteristik dan Aplikasi. *CIRCUIT: Jurnal Ilmiah Pendidikan Teknik Elektro*, 2(1).

Hardi, A. D., Joni, R., Syukri, S., & Aziz, H. 2020. Pembuatan Karbon Aktif dari Tandan Kosong Kelapa Sawit sebagai Elektroda Superkapasitor. *Jurnal Fisika Unand*, 9(4), 479-486.

Hassan, A. F., A. M. Youssef, (2014), “Preparation and Characterization of Microporous NaOH-Activated Carbons From Hydroflouric Acid Leached Rice Husk and Its Application for Lead (II) Adsorption”, *Carbon Lett*, 15, 57-66

Kementerian Perindustrian. 2019. Transformasi Manufaktur Menuju Industri Maju. Laporan Kinerja Kementerian Perindustrian 2015-2019.

Kumar, A., & Jena, H. M. (2016). Preparation and characterization of high surface area activated carbon from Fox nut (*Euryale ferox*) shell by chemical activation with H₃PO₄. *Results in Physics*, 6, 651–658. <https://doi.org/10.1016/j.rinp.2016.09.012>

Laos, L. E. (2016). Pemanfaatan kulit singkong sebagai bahan baku karbon aktif. *JIPF (Jurnal Ilmu Pendidikan Fisika)*, 1(1), 32-36.

Liao, J.Y., Xiao, X., Higgins, D., Lee, D., Hassan, F. and Chen, Z., 2013. Hierarchical Li₄Ti₅O₁₂-TiO₂ composite microsphere consisting of nanocrystals for high power Li-ion batteries. *Electrochimica Acta*, 108, pp.104-111.

Lillo-Ródenas, M.A., Cazorla-Amorós, D. and Linares-Solano, A., 2003. Understanding chemical reactions between carbons and NaOH and KOH: an insight into the chemical activation mechanism. *Carbon*, 41(2), pp.267-275.

Masthura, M., & Jumiati, E. (2021). Pengaruh Variasi Volume Larutan Kulit Nenas Terhadap Sifat Kelistrikan Bio-Baterai. *Jurnal Ikatan Alumni Fisika Universitas Negeri Medan*, 7(3), 1-6.

- Martins, A.C., Pezoti, O., Cazetta, A.L., Bedin, K.C., Yamazaki, D.A., Bandoch, G.F., Asefa, T., Visentainer, J.V. and Almeida, V.C., 2015. Removal of tetracycline by NaOH-activated carbon produced from macadamia nut shells: kinetic and equilibrium studies. *Chemical Engineering Journal*, 260, pp.291-299.
- Maulina, S., & Anwari, F. N. 2018. Utilization of oil palm fronds in producing activated carbon using Na₂CO₃ as an activator. In *IOP Conference Series: Materials Science and Engineering* (Vol. 309, No. 1, p. 012087). IOP Publishing.
- Noer, A.A., Awitdrus, A. and Malik, U., (2014). :Pembuatan Karbon Aktif dari Pelepah Kelapa Sawit Menggunakan Aktivator H₂O sebagai Adsorben”. (Doctoral dissertation, Riau University).
- Pandia, A. B., & Sumarni, W. (2021). Pengembangan Alat Peraga Uji Daya Hantar Listrik Berbasis STEM dan Pengaruhnya Terhadap Literasi Kimia Peserta Didik. *Chemistry in Education*, 10(1), 30-37.
- Pradnyana, G. 2016. Pemenuhan kebutuhan energi dalam rangka mewujudkan ketahanan nasional. *Jurnal Maksipreneur: Manajemen, Koperasi, dan Entrepreneurship*, 5(2), 67-76.
- Ritchie, H., Rosado, P., & Roser, M. (2020). Agricultural production. *Our world in data*
- Ritchi, H., 2000. *Battery Reference Book*. Elsevier Science.
- Scibioh, M.A. and Viswanathan, B. (2020), Materials for Supercapacitor Applications, Materials for Supercapacitor Applications, available at:<https://doi.org/10.1016/c2019-0-00454-2>.
- Setiaji, N., Sumpena, S., & Sugiharto, A. (2022). Analisis Konsumsi Daya Dan Distribusi Tenaga Listrik. *Jurnal Teknologi Industri*, 11(1).
- Siswoko, E., Mulyadi, A., Thamrin, T., & Bahruddin, B. 2017. Pendugaan kandungan karbon limbah batang pohon kelapa sawit peremajaan kebun di Provinsi Riau. *Jurnal Ilmu Lingkungan*, 11(2), 154-163.

Stephenson, M. 2018. *Energy and Climate Change: An Introduction to Geological Controls, Inversion and Mitigations*. Elsevier Science.

Suherman, S., Hasanah, M., Ariandi, R., & Ilmi, I. (2021). Pengaruh Suhu Pemanasan Terhadap Karakteristik Dan Mikrostruktur Karbon Aktif Pelepah Kelapa Sawit. *Jurnal Industri Hasil Perkebunan*, 16(1), 1-9.

Sumanzaya, T., Supriyanto, A., & Pauzi, G. A. 2019. Analisis Karakteristik Elektrik Onggok Singkong sebagai Pasta Bio-Baterai. *Jurnal Teori dan Aplikasi Fisika*, 7(2), 231-238.

Supriyadi, S., Paronda, A. H., & ... (2017). Analisis Power Losses Pada Distribusi Listrik Di Gedung Universitas Islam “45” Bekasi Dengan Menggunakan Software Etap 7.5.0. *JREC (Journal of ...)*, 5(2), 153–168. <http://jurnal.unismabekasi.ac.id/index.php/jrec/article/view/520/425>

Taer, E., Mustika, W. S., & Taslim, R. (2016, October). Pengaruh suhu aktivasi CO₂ terhadap kapasitansi spesifik elektroda karbon superkapasitor dari tandan kosong kelapa sawit. In *Prosiding Seminar Nasional Fisika (E-Journal)* (Vol. 5, pp. SNF2016-MPS).

Taslim, R. (2017). Studi awal pembuatan karakteristik elektroda superkapasitor dari limbah pelepah kelapa sawit. In *Proseding Seminar Nasional Fisika Universitas Riau*. UR PRESS.

Tseng, R.L., 2007. Physical and chemical properties and adsorption type of activated carbon prepared from plum kernels by NaOH activation. *Journal of hazardous materials*, 147(3), pp.1020-1027.

Wajizah, S., Samadi, S., Usman, Y., & Mariana, E. (2015). Evaluasi nilai nutrisi dan kecernaan in vitro pelepah kelapa sawit (oil palm fronds) yang difermentasi menggunakan Aspergillus niger dengan penambahan sumber karbohidrat yang berbeda. *Jurnal Agripet*, 15(1), 13-19.

Warsito, J., Sabang, S. M., & Mustapa, K. (2016). Pembuatan pupuk organik dari limbah tandan kosong kelapa sawit. *Jurnal Akademika Kimia*, 5(1), 8-15.

Widyaningsih, W. P., & Mulud, T. H. 2017. Analisis pemanfaatan limbah kulit pisang sebagai energi alternatif pada baterai. *Eksbergi*, 13(2).

Young, Hugh D., Roger A. Freedman, and A. Lewis Ford. (2012). University Physics with Modern Physics- 13th Ed. Pearson Education, Inc.

Yulusman, Nasruddin, Afdhol, M. K., Haris, F., Amiliana, R. A., Hanafi, A., & Ramadhan, I. T. (2017). Production of activated carbon from coffee grounds using chemical and physical activation method. *Adv. Sci. Lett.*, 23(6), 5751– 5755. <https://doi.org/10.1166/asl.2017.8822>

Yusandika, A. D. (2016). Sintesis Keramik Coerdierite Berbasis Silika Sekam Padi Sebagai Material Isolator Listrik. *Jurnal Ilmiah Pendidikan Fisika AlBiruni*, 5(2), 161–172. <https://doi.org/10.24042/jpifalbiruni.v5i2.116>

Zhao, Y., Ding, Y., Li, Y., Peng, L., Byon, H. R., Goodenough, J. B., & Yu, G. (2015). A chemistry and material perspective on lithium redox flow batteries towards high-density electrical energy storage. *Chem. Soc. Rev.*, 44(22), 7968–7996. <https://doi.org/10.1039/c5cs00289c>

Zare, E.N., Padil, V.V., Mokhtari, B., Venkateshaiah, A., Wacławek, S., Černík, M., Tay, F.R., Varma, R.S. and Makvandi, P., 2020. Advances in biogenically synthesized shaped metal-and carbon-based nanoarchitectures and their medicinal applications. *Advances in Colloid and Interface Science*, 283, p.102236.