

DAFTAR PUSTAKA

www.itk.ac.id

- Ang PK, Chen W, Wee AT, Loh KP. 2008. Solution-gated epitaxial graphene as pH sensor. *J. Am. Chem. Soc.* 130(44): 14392- 14393.
- Bangle, R. E., Schneider, J., Conroy, D. T., Aramburu-Trošelj, B. M., & Meyer, G. J. (2020). Kinetic Evidence That the Solvent Barrier for Electron Transfer Is Absent in the Electric Double Layer. *Journal of the American Chemical Society*, 142(35), 14940–14946.
- Bard, A. J. dan Faulkner, L. R. (2001) Double-Layer Structure and Adsorption, Electrochemical Methods - Fundamentals and Applications.
- Bekmezci, M., Bayat, R., Erduran, V., & Sen, F. (2022). Biofunctionalization of functionalized nanomaterials for electrochemical sensors. In *Functionalized Nanomaterial-Based Electrochemical Sensors* (pp. 55-69). Woodhead Publishing.
- Bloom ET, Lee AH, Elliott DM. Tendon Multiscale Structure, Mechanics, and Damage Are Affected by Osmolarity of Bath Solution. *Ann Biomed Eng.* 2021 Mar;49(3):1058-1068. doi: 10.1007/s10439-020-02649-z. Epub 2020 Oct 30. PMID: 33128181; PMCID: PMC7954897.
- Bookchin RM, Lew DJ, Balazs T, Ueda Y, Lew VL. Dehydration and delayed proton equilibria of red blood cells suspended in isosmotic phosphate buffers. Implications for studies of sickled cells. *J Lab Clin Med.* 1984 Dec;104(6):855-66. PMID: 6094692.
- Bonales, L. J., Elorrieta, J. M., Lobato, Á. & Cobos, J. (2016). Raman spectroscopy, a useful tool to study nuclear materials. In *Applications of Molecular Spectroscopy to Current Research in the Chemical and Biological Sciences*. X : IntechOpen.

Chambers, A., Prawer, S., Ahnood, A., & Zhan, H. (2022). Diamond supercapacitors: Towards durable, safe, and biocompatible aqueous-based energy storage. *Frontiers in Chemistry*, 10.

Chang, T. M. S. (2011). Nanobiotechnology-based blood substitutes and the cardiovascular systems in transfusion medicine. *Nanomedicine and Cardiovascular System*, 77-98.

Cheng, Y., Hao, Z., Hao, C., Deng, Y., Li, X., Li, K., & Zhao, Y. (2019). A review of modification of carbon electrode material in capacitive deionization. *RSC advances*, 9(42), 24401-24419.

Chiwunze, T. E., Palakollu, V. N., Gill, A. A., Kayamba, F., Thapliyal, N. B., & Karpoormath, R. (2019). A highly dispersed multi-walled carbon nanotubes and poly (methyl orange) based electrochemical sensor for the determination of an anti-malarial drug: Amodiaquine. *Materials Science and Engineering: C*, 97, 285-292.

De Souza Vieira, L., Montagna, L. S., Marini, J., & Passador, F. R. (2021). Influence of particle size and glassy carbon content on the thermal, mechanical, and electrical properties of PHBV/glassy carbon composites. *Journal of Applied Polymer Science*, 138(4), 49740.

Dhinakaran, V., Vigneswari, K., Lavanya, M., & Shree, M. V. (2020). Point-of-care applications with graphene in human life. In *Comprehensive Analytical Chemistry* (Vol. 91, pp. 235-262). Elsevier.

Diniz, J. A., Okumura, L. L., de Souza Silva, A. F., Oliveira, A. F., Gurgel, A., Liberato, P. A & Silva, J. G. (2023). Study and voltammetric determination of fipronil in bovine lactose-free milk by differential pulse voltammetry using a carbon paste electrode. *Analytical Methods*, 15(12), 1517-1526.

Einaga, Y. (2022). Boron-Doped Diamond Electrodes: Fundamentals for Electrochemical Applications. *Accounts of Chemical Research*, 11341-11347.

Einaga, Y., Foord, J. S. dan Swain, G. M. (2010) "Diamond electrodes: Diversity and maturity," *MRS Bulletin*, 39(6), hal. 525–532.

Elgrishi, N., Rountree, K. J., McCarthy, B. D., Rountree, E. S., Eisenhart, T. T., & Dempsey, J. L. (2018). A practical beginner's guide to cyclic voltammetry. *Journal of chemical education*, 95(2), 197-206.

Freitas, J. M., Oliveira, T. D. C., Munoz, R. A. A., & Richter, E. M. (2019). Boron doped diamond electrodes in flow-based systems. *Frontiers in chemistry*, 7, 190.

Fuller, T. F., & Harb, J. N. (2019). *Electrochemical engineering*. John Wiley & Sons.

Guy, O. J., & Walker, K. A. D. (2016). Graphene functionalization for biosensor applications. *Silicon Carbide Biotechnology*, 85-141.

Hao, L., Manzhos, S., & Zhang, Z. (2022). Theoretical Insight Into Diamond Doping and Its Possible Effect on Diamond Tool Wear During Cutting of Steel. *Design of Two-Dimensional Functional Materials and Nanodevices*.

Hardy, M., Zielonka, J., Karoui, H., Sikora, A., Michalski, R., Podsiadly, R. & Ouari, O. (2018). Detection and characterization of reactive oxygen and nitrogen species in biological systems by monitoring species-specific products. *Antioxidants & redox signaling*, 28(15), 1416-1432.

Hawley, S. R., Bray, P. G., Park, B. K., & Ward, S. A. (1996). Amodiaquine accumulation in *Plasmodium falciparum* as a possible explanation for its superior antimalarial activity over chloroquine. *Molecular and biochemical parasitology*, 80(1), 15-25.

Hendry A.B., Osmolarity of human serum and of chemical solutions of biologic importance. *Clin Chem*. 1961 Apr;7:154-64. PMID: 13713305.

Hussain, C. M., & Kecili, R. (2022). Modern environmental analysis techniques for pollutants. Elsevier.

Ibrahim FA, Belal F, El-Brashy A (1989) Microchem J 39:65

Jia, F., Bai, Y., Qu, F., Zhao, J., Zhuang, C., & Jiang, X. (2010). Effect of B/C ratio on the physical properties of highly boron-doped diamond films. Vacuum, 84(7), 930-934.

Jiang, L., Santiago, I., & Foord, J. (2021). A comparative study of fouling-free nanodiamond and nanocarbon electrochemical sensors for sensitive bisphenol A detection. Carbon, 174, 390-395.

Kaewsichan, L., Riyapan, D., Prommajan, P., & Kaewsrichan, J. (2011). Effects of sintering temperatures on micro-morphology, mechanical properties, and bioactivity of bone scaffolds containing calcium silicate. Sci. Asia, 37, 240-246.

Kamal, S. K., & Yardım, Y. (2022). Voltammetric determination of anti-malarial drug amodiaquine at a boron-doped diamond electrode surface in an anionic surfactant media: Voltammetric determination of amodiaquine. Macedonian Journal of Chemistry and Chemical Engineering, 41(2), 163-174.

Karakaya, S., Kartal, B. & Dilgin, Y. Ultrasensitive voltammetric detection of an antimalarial drug (amodiaquine) at a disposable and low cost electrode. Monatsh Chem 151, 1019–1026 (2020).

Kashiwada, T., Watanabe, T., Ootani, Y., Tateyama, Y., & Einaga, Y. (2016). A study on electrolytic corrosion of boron-doped diamond electrodes when decomposing organic compounds. ACS Applied Materials & Interfaces, 8(42), 28299-28305.

Keçili, R., & Denizli, A. (2021). Molecular Imprinting-Based Smart Nanosensors for Pharmaceutical Applications. In Molecular Imprinting for Nanosensors and Other Sensing Applications (pp. 19-43). Elsevier.

Kemenkes RI. (2022) Profil Kesehatan Indonesia.

www.itk.ac.id

Keputusan Menteri Kesehatan Republik Indonesia Nomor

HK.01.07/MENKES/556/2019 Tentang Pedoman Nasional Pelayanan
Kedokteran Tata Laksana Malaria

Kim, T. H., Park, J. S., Chang, S. K., Choi, S., Ryu, J. H., & Song, H. K. (2012).
The current move of lithium ion batteries towards the next phase. *Advanced Energy Materials*, 2(7), 860-872.

Kondo, T., Horitani, M., & Yuasa, M. (2012). Sensitive Electrochemical Detection of Glucose at Glucose Oxidase-Cobalt Phthalocyanine-Modified Boron-Doped Diamond Electrode. *International Journal of Electrochemistry*, 2012.

Kotthaus, S., Smith, T. E., Wooster, M. J., & Grimmond, C. S. B. (2014).
Derivation of an urban materials spectral library through emittance and reflectance spectroscopy. *ISPRS Journal of Photogrammetry and Remote Sensing*, 94, 194-212.

Kurzweil, P. (2009). Precious metal oxides for electrochemical energy converters: Pseudocapacitance and pH dependence of redox processes. *Journal of Power Sources*, 190(1), 189-200.

Larkin, P. (2017). Infrared and Raman spectroscopy: principles and spectral interpretation. Elsevier.

Lefrou, C., Fabry, P., & Poignet, J. C. (2012). Simplified description of electrochemical systems. In *Electrochemistry* (pp. 51-118). Springer, Berlin, Heidelberg.

Li, B., Ying, P., Gao, Y., Hu, W., Wang, L., Zhang, Y., & Tian, Y. (2022). Heterogeneous diamond - Boron Doping with superb toughness and hardness. *Nano Letters*, 22(12), 4979-4984.

www.itk.ac.id

Li, B., Zhang, Z. & Wu, M. (2000) "Flow-injection chemiluminescence determination of quinine using on-line electrogenerated cobalt (III) as oxidant," *Talanta*, 51(3), pp. 515–521

Liberato, P. A., Okumura, L. L., de Souza Silva, A. F., Aleixo, H., Silva, J. G., Diniz, J. A., & Oliveira, A. F. (2021). Direct determination of boscalid in grape samples by differential pulse voltammetry using a carbon paste electrode. *Analytical Methods*, 13(43), 5195-5203.

Luna, D. M., Avelino, K. Y., Cordeiro, M. T., Andrade, C. A., & Oliveira, M. D. (2015). Electrochemical immunosensor for dengue virus serotypes based on 4-mercaptopbenzoic acid modified gold nanoparticles on self-assembled cysteine monolayers. *Sensors and Actuators B: Chemical*, 220, 565-572.

Macpherson, J. V. (2015). The use of conducting diamond in electrochemistry. *Electrochemistry of Carbon Electrodes*, 163-210.

Macpherson, J. V. (2015). The use of conducting diamond in electrochemistry. *Electrochemistry of Carbon Electrodes*, 163-210.

Malongo, T. K., Blankert, B., Kambu, O., Amighi, K., Nsangu, J., & Kauffmann, J. M. (2006). Amodiaquine polymeric membrane electrode. *Journal of pharmaceutical and biomedical analysis*, 41(1), 70-76.

Maschmann, M., Fisher, T., & Amama, P. (2011). Enhanced Control of Single-Walled Carbon Nanotube Properties Using MPCVD with DC Electrical Bias. In *Electronic Properties of Carbon Nanotubes*. IntechOpen.

Mc Causland, F. R., & Waikar, S. S. (2015). Association of predialysis calculated plasma osmolarity with intradialytic blood pressure decline. *American Journal of Kidney Diseases*, 66(3), 499-506.

Mehretie, S., Admassie, S., Tessema, M., & Solomon, T. (2011). Voltammetric determination of paracetamol with poly (3, 4-ethylenedioxythiophene) modified glassy carbon electrode. *Anal. Bioanal. Electrochem*, 3, 38-50.

Morris, W., Lorance, E. D., & Gould, I. R. (2019). Understanding the Solvent Contribution to Chemical Reaction Barriers. *The Journal of Physical Chemistry A*, 123(49), 10490-10499.

Mufusama JP, Hoellein L, Feineis D, Holzgrabe U, Bringmann G. (2018) Electrophoresis 339 : 2530

Nair, A., Abrahamsson, B., Barends, D. M., Groot, D. W., Kopp, S., Polli, J. E. & Dressman, J. B. (2012). Biowaiver monographs for immediate release solid oral dosage forms: amodiaquine hydrochloride. *Journal of pharmaceutical sciences*, 101(12), 4390-4401.

National Center for Biotechnology Information (2023). PubChem Compound Summary for CID 2165, Amodiaquine.

NIST Chemistry WebBook, SRD 69. (2018). Amodiaquine.

Noorhashimah, M. N., Khairunisak, A. R., & Lockman, Z. (2019). Effect of Concentration and pH of PBS to the Electrocatalytic Performance of Enzymatic Glucose Biosensor. In *Solid State Phenomena* (Vol. 290, pp. 193-198). Trans Tech Publications Ltd.

Novoselov KS, Geim AK, Morozov SV, Jiang D, Zhang Y, Dubonos SV, Grigorieva LI, Firsov AA. 2004. Electric field effect in atomically thin carbon films. *Science*. 303(10): 666.

Oliveiri GG, Azzi DC, Silva TA, Oliveira PRd, Fatibello-Filho O, Janegitz BC. Sensitive Voltammetric Detection of Chloroquine Drug by Applying a Boron-Doped Diamond Electrode. *C*. (2020); 6(4):75.

Pakes, C. I., Garrido, J. A., & Kawarada, H. (2014). Diamond surface conductivity: Properties, devices, and sensors. *Mrs Bulletin*, 39(6), 542-548.

Panizza, & M. Martínez-Huitle, (2018). Electrochemical oxidation of organic pollutants for wastewater treatment. *Current Opinion in Electrochemistry*, 11, 62-71.

- Partin, A. W., Kavoussi, L. R., Peters, C. A., & Dmochowski, R. R. (2021). Campbell Walsh Wein Handbook of Urology-E-Book. Elsevier Health Sciences.
- Peterson, S., Loring, J. F., Wesselschmidt, R. L., & Schwartz, P. H. (Eds.). (2011). Human stem cell manual: a laboratory guide. Elsevier.
- Prisco, N. A., Pinon, A. C., Emsley, L., & Chmelka, B. F. (2021). Scaling analyses for hyperpolarization transfer across a spin-diffusion barrier and into bulk solid media. *Physical Chemistry Chemical Physics*, 23(2), 1006-1020.
- Putri, W. J., Yulkifli, Y., Alizar, A., & Isa, I. M. (2021). Rancang Bangun Alat Ukur Glukosa Untuk Darah Manusia Menggunakan Sensor Elektrokimia Berbasis Glassy Carbon Electrode (GCE) dengan Metode Voltametri. *Jurnal Fisika Unand*, 10(3), 324-329.
- Raymakers, J., Haenen, K., & Maes, W. (2019). Diamond surface functionalization: from gemstone to photoelectrochemical applications. *Journal of Materials Chemistry C*, 7(33), 10134-10165.
- Ryl, J., Burczyk, L., Bogdanowicz, R., Sobaszek, M., & Darowicki, K. (2016). Study on surface termination of boron-doped diamond electrodes under anodic polarization in H_2SO_4 by means of dynamic impedance technique. *Carbon*, 96, 1093-1105.
- Saito, Y., & Kikuchi, T. (Eds.). (2014). Voltammetry: theory, types and applications. Nova Science Publishers, Incorporated.
- Sanghi SK, Verma A, Verma KK (1990) Analyst 115:333
- Scheller, F., & Schubert, F. (1991). Biosensors. Elsevier.
- Scholar, E. (2007). Amodiaquine. X Pharm: The Comprehensive Pharmacology Reference, 1–4.

Sherif, El-Sayed M. "A comparative study on the electrochemical corrosion behavior of iron and X-65 steel in 4.0 wt% sodium chloride solution after different exposure intervals." *Molecules* 19, no. 7 (2014): 9962-9974.

Simões, F. R., & Xavier, M. G. (2017). Electrochemical sensors. Nanoscience and its Applications, 1, 155-178.

Singh, A. K. (2015). Engineered nanoparticles: structure, properties and mechanisms of toxicity. Academic Press.

Soldano, C., Mahmood, A., & Dujardin, E. (2010). Production, properties and potential of graphene. *Carbon*, 48(8), 2127-2150.

Spinner, M. B., & Petersen, G. K. (1961). Determining the pH of a phosphate buffer solution for blood measurements. *Scandinavian Journal of Clinical and Laboratory Investigation*, 13(1), 1-7.

Srikanth, V. V., Sampath Kumar, P., & Kumar, V. B. (2012). A brief review on the in situ synthesis of boron-doped diamond thin films. *International Journal of Electrochemistry*.

Stoller MD, Park S, Zhu Y, An J, Ruoff RS. 2008. Graphene-based ultracapacitors. *Nano Lett.* 8(10): 3498-3502.

Terrones AR, Botello-Mendez AR, CamposDelgado J, Lopez-Urias F, Vega-Cantu YI, Rodriguez-Macias FJ, Elias AL, MunozSandoval E, Cano-Marquez AG, Charlier J, Terrones H. 2010. Graphene and graphite nanoribbons: morphology, properties, synthesis, defects and applications. *Nano Today*. 5(4): 351-372.

Thangaraj, R., & Kumar, A. S. (2015). Simultaneous differential pulse voltammetric analysis of guanine and adenine using graphitized carbon nanofibers modified electrode. *JOURNAL OF THE INDIAN CHEMICAL SOCIETY*, 92(4), 493-496.

Triana, Y., Ogata, G., Tomisaki, M., Irkham, & Einaga, Y. (2022). Blood Oxygen Sensor Using a Boron-Doped Diamond Electrode. *Analytical Chemistry*, 94(9), 3948-3955.

Undavalli, V. K., Ling, C., & Khandelwal, B. (2021). Impact of alternative fuels and properties on elastomer compatibility. In *Aviation Fuels* (pp. 113-132). Academic Press.

Valente, Cristiane O., Carlos Alexandre B. Garcia, José Patrocínio H. Alves, Maria Valnice B. Zanoni, Nelson R. Stradiotto, and Maria Lara P. Arguelho. "Electrochemical Determination of Antimalarial Drug Amodiaquine in Maternal Milk Using a Hemin-Based Electrode." *ECS Transactions* 43, no. 1 (2012): 297.

Waelder, J., & Maldonado, S. (2021). Beyond the laviron method: a new mathematical treatment for analyzing the faradaic current in reversible, quasi-reversible, and irreversible cyclic voltammetry of adsorbed redox species. *Analytical Chemistry*, 93(37), 12672-12681.

Wang X, Zhi L, Mullen K. 2019. Transparent conductive graphene electrodes for dyesensitized solar cells. *Nano Lett.* 8(1): 323- 327.

Watanabe, K., Sugiyama, K., Komatsu, S., Yoshida, K., Ono, T., Fujimura, T., & Sato, K. (2020). Voltammetric pH measurements using azure a-containing layer-by-layer film immobilized electrodes. *Polymers*, 12(10), 2328.

Wei, J. J., Li, C. M., Gao, X. H., Hei, L. F., & Lvun, F. X. (2012). The influence of boron doping level on quality and stability of diamond film on Ti substrate. *Applied surface science*, 258(18), 6909-6913.

White, N. J. (2018). Anaemia and malaria. *Malaria journal*, 17(1), 1-17.

Wittmann, C., & Schmid, R. D. (1997). Bioaffinity sensors for environmental monitoring. *Handbook of Biosensors and Electronic Noses—Medicine, Food, and the Environment*, 333-349.

World Health Organization. (2022). World malaria report 2022. World Health Organization. 

Xu J, Wang L, Zhu Y. 2012. Decontamination of bisphenol a from aqueous solution by graphene adsorption. *Langmuir*. 28(22): 8418-8425

Yang, N., Yu, S., Macpherson, J. V., Einaga, Y., Zhao, H., Zhao, G. & Jiang, X. (2019). Conductive diamond: synthesis, properties, and electrochemical applications. *Chemical Society Reviews*, 48(1), 157-204.

Yang, W., Huang, H., Liu, X., Ren, J., Ma, K., Pan, Z. & Gao, Z. (2020). Screening the activity of single-atom catalysts for the catalytic oxidation of sulfur dioxide with a kinetic activity model. *Chemical Communications*, 56(78), 11657-11660.

Yence, M., Cetinkaya, A., Ozcelikay, G., Kaya, S. I., & Ozkan, S. A. (2022). Boron-doped diamond electrodes: recent developments and advances in view of electrochemical drug sensors. *Critical Reviews in Analytical Chemistry*, 52(5), 1122-1138.

Zhang, X., Philips, J., Roume, H., Guo, K., Rabaey, K. and Prévoteau, A., 2017. Rapid and quantitative assessment of redox conduction across electroactive biofilms by using double potential step chronoamperometry. *ChemElectroChem*, 4(5), pp.1026-1036.

Zhou, Z. Y., Lin, S. C., Chen, S. P., & Sun, S. G. (2005). In situ step-scan time-resolved microscope FTIR spectroscopy working with a thin-layer cell. *Electrochemistry communications*, 7(5), 490-495.