

DAFTAR PUSTAKA

- Accardo, A., Dotelli, G., Musa, M. L., & Spessa, E. (2021). Life Cycle Assessment Of An NMC Battery For Application To Electric Light-Duty Commercial Vehicles And Comparison With A Sodium-Nickel-Chloride Battery. *Applied Sciences (Switzerland)*, 11(3), 1–32. <https://doi.org/10.3390/app11031160>
- Andri Helly., S. (2010). *RANCANG BANGUN SYSTEM BATTERY CHARGING AUTOMATIC*.
- Arai, H., Tsuda, M., & Sakurai, Y. (2000). Lithium Nickelate Electrodes With Enhanced High-Temperature Performance And Thermal Stability. *Journal Of Power Sources*, 90(1), 76–81. [https://doi.org/10.1016/S0378-7753\(00\)00451-1](https://doi.org/10.1016/S0378-7753(00)00451-1)
- Chhapadia, P., Mohammadi, P., & Sharma, P. (2011). Curvature-Dependent Surface Energy And Implications For Nanostructures. *Journal Of The Mechanics And Physics Of Solids*, 59(10), 2103–2115. <https://doi.org/10.1016/j.jmps.2011.06.007>
- Dai, Q., Kelly, J. C., Gaines, L., & Wang, M. (2019). Life Cycle Analysis Of Lithium-Ion Batteries For Automotive Applications. *Batteries*, 5(2). <https://doi.org/10.3390/batteries5020048>
- Duan, Z., & Wang, X. (2003). The Physical Meanings Of 5 Basic Parameters For An X-Ray Diffraction Peak And Their Application. *Advanced Materials Research*, Vol.22, 3165–3171. <https://doi.org/10.4028/www.scientific.net/AMR.524-527.3165>
- Efhana, D. P., & Zainuri, M. (2014). Pengaruh Variasi Waktu Penahanan Proses Kalsinasi Terhadap Prekursor Bahan Katoda Lithium Ferrospate (LFP). *Jurnal Sains Dan Seni Pomits*, 3(2), 118–122.
- Goonetilleke, D., Sharma, N., Pang, W. K., Peterson, V. K., Petibon, R., Li, J., & Dahn, J. R. (2019). Structural Evolution And High-Voltage Structural Stability Of Li(Ni X Mn Y Co Z)O 2 Electrodes. *Chemistry Of Materials*, 31(2), 376–386. <https://doi.org/10.1021/acs.chemmater.8b03525>

- Gustiana, H. S. E. A., Agustiana, F. R., Nisa, S. S., & Dyartanti, E. R. (2022). Synthesis And Characterization Of NMC 811 By Oxalate And Hydroxide Coprecipitation Method. *Evergreen*, 9(2), 438–442. <https://doi.org/10.5109/4794169>
- Habibi, A., Jalaly, M., Rahmanifard, R., & Ghorbanzadeh, M. (2018). The Effect Of Calcination Conditions On The Crystal Growth And Battery Performance Of Nanocrystalline $\text{Li}(\text{Ni}_{1/3}\text{Co}_{1/3}\text{Mn}_{1/3})\text{O}_2$ As A Cathode Material For Li-Ion Batteries. *New Journal Of Chemistry*, 42(23), 19026–19033. <https://doi.org/10.1039/C8nj05007d>
- Hakam, M., Dharmawan, A., Arinawati, M., Purwanto, A., & Yudha, C. S. (2022). Sintesis Dan Analisis Struktur Prekursor NMC811 Dari Mix Hydroxide Precipitate (MHP) Dengan Presipitan Asam Oksalat. *Equilibrium Journal Of Chemical Engineering*, 5(2), 111–115. <https://doi.org/10.20961/Equilibrium.V5i2.58478>
- Hikmah, U. (2018). *NANOKRISTALISASI SUPERKONDUKTOR (Bi , Pb) $2\text{Sr}_2\text{CaCu}_2\text{O}_8 + \Delta$ DENGAN METODE PENCAMPURAN BASAH DENGAN VARIASI SUHU DAN WAKTU*. November.
- Hutama, A. P. (2023). Evaluation Of Nickel Manganese Cobalt (NMC) 111 And Lithium Cobalt Oxide (LCO) Products. *Energy Storage Technology And Applications*, 2(2), 32. <https://doi.org/10.20961/Esta.V2i2.67968>
- Indrayana, I. P. T., Tjuana, L. A., Tuny, M. T., & Kurnia. (2019). Nanostructure And Optical Properties Of Fe_3O_4 : Effect Of Calcination Temperature And Dwelling Time. *Journal Of Physics: Conference Series*, 1341(8). <https://doi.org/10.1088/1742-6596/1341/8/082044>
- Iqbal, A., & Li, D. (2019). Systematic Study Of The Effect Of Calcination Temperature And Li/M Molar Ratio On High Performance Ni-Rich Layered $\text{Li}_{0.9}\text{Co}_{0.1}\text{O}_2$ Cathode Materials. *Chemical Physics Letters*, 720(October 2018), 97–106. <https://doi.org/10.1016/J.Cplett.2019.01.044>
- Kunduraci, Muharrem., E. A. (2023). Electrochemical Behavior Of $\text{Li}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2$ Cathode In Different Aqueous Electrolytes. *Metal-Air*

Batteries, 249–264. <https://doi.org/10.1201/9781003295761-17>

- Kurniawan, A., Nizar, M., Rijal, M., Bagas, R., & Setyarsih, W. (2014). STUDI PENGARUH VARIASI SUHU KALSINASI TERHADAP KEKERASAN BENTUK MORFOLOGI, DAN ANALISIS POROSITAS NANOKOMPOSIT CAO/Sio₂ UNTUK APLIKASI BAHAN BIOMATERIAL. *Jurnal Penelitian Fisika Dan Aplikasinya (JPFA)*, 4(2), 22. <https://doi.org/10.26740/jpfa.v4n2.p22-26>
- Lipson, A. L., Ross, B. J., Durham, J. L., Liu, D., Leresche, M., Fister, T. T., Liu, L., & Kim, K. (2021). Stabilizing NMC 811 Li-Ion Battery Cathode Through A Rapid Coprecipitation Process. *ACS Applied Energy Materials*, 4(2), 1972–1977. <https://doi.org/10.1021/acsaem.0c03112>
- Lisdawati, A. N. (2015). Pengaruh Variasi Suhu Dan Waktu Kalsinasi Pada Pembentukan Fasa Zro₂. *Tesis*.
- Manzetti, S., & Mariasiu, F. (2015). Electric Vehicle Battery Technologies: From Present State To Future Systems. *Renewable And Sustainable Energy Reviews*, 51, 1004–1012. <https://doi.org/10.1016/j.rser.2015.07.010>
- Ortiz, M. G., Čech, O., Kazda, T., Čudek, P., & Sedlářiková, M. (2021). Synthesis And Characterization Of Blended Cathode Materials As Improvement On The Electrochemical Performance In Li-Ion Battery. *Journal Of Energy Storage*, 42(July). <https://doi.org/10.1016/j.est.2021.103059>
- Perdana, F. A. (2021). Baterai Lithium. *INKUIRI: Jurnal Pendidikan IPA*, 9(2), 113. <https://doi.org/10.20961/inkuiri.v9i2.50082>
- Pratapa, S. (2008). *Analisis Data Difraksi*.
- Putra, O., Fadila, R., Andrijanto, E., Studi, P., Kimia, D. T., Kimia, J. T., & Bandung, P. N. (N.D.). *SINTESIS DAN KARAKTERISASI BAHAN KATODA BATERAI LITHIUM IRON PHOSPHATE (Lifepo 4) MENGGUNAKAN METODE*. 42–49.
- Rahmawati, M., Purwanto, A., Widiyandari, H., Paramitha, T., Nizam, M., Dyartanti, E. R., Muzayahna, S. U., & Yudha, C. S. (2020). Synthesis Of NMC

- 111 Via Urea Assisted Solid State Method. *AIP Conference Proceedings*, 2197(January). <https://doi.org/10.1063/1.5140919>
- Rosyidah, N. (2016). *Sintesis Nanopartikel ZnO Dengan Metode Kopersipitasi Dan Karakterisasi Sifat Listrik*. 1–65.
- Setyawan, D. (2017). Rancang Bangun Sistem Pengisian Baterai Secara Cepat Dan Pemutus Arus Otomatis Dengan Regulator LM338K. *Universitas Muhammadiyah Surakarta*, 3, 1–5.
- Strauss, F., Bartsch, T., De Biasi, L., Kim, A. Y., Janek, J., Hartmann, P., & Brezesinski, T. (2018). Impact Of Cathode Material Particle Size On The Capacity Of Bulk-Type All-Solid-State Batteries. *ACS Energy Letters*, 3(4), 992–996. <https://doi.org/10.1021/acseenergylett.8b00275>
- Sugianto, S. (2020). *SINTESIS DAN KARAKTERISASI $\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2$ (NMC 622) DENGAN METODE SOL-GEL UNTUK KATODA BATERAI ION LITIU*. 2(Nmc 622), 1–67. [file:///C:/Users/User/Downloads/SINTESIS DAN KARAKTERISASI \$\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2\$ \(NMC 622\) DENGAN METODE SOL-GEL UNTUK KATODA BATERAI ION LITIU.Pdf](file:///C:/Users/User/Downloads/SINTESIS%20DAN%20KARAKTERISASI%20LiNi0.6Mn0.2Co0.2O2%20(NMC%20622)%20DENGAN%20METODE%20SOL-GEL%20UNTUK%20KATODA%20BATERAI%20ION%20LITIU.Pdf)
- Sunardi, Irawati, U., & Wianto, T. (2011). Karakterisasi Kaolin Lokal Kalimantan Selatan Hasil Kalsinasi. *Jurnal Fisika FLUX*, 8(1), 59–65.
- Tallman, K. R., Wheeler, G. P., Kern, C. J., Stavitski, E., Tong, X., Takeuchi, K. J., Marschilok, A. C., Bock, D. C., & Takeuchi, E. S. (2021). Nickel-Rich Nickel Manganese Cobalt (NMC622) Cathode Lithiation Mechanism And Extended Cycling Effects Using Operando X-Ray Absorption Spectroscopy. *Journal Of Physical Chemistry C*, 125(1), 58–73. <https://doi.org/10.1021/acs.jpcc.0c08095>
- Tang, J., Photopoulos, P., Tserepi, A., & Tsoukalas, D. (2011). Two-Dimensional Nanoparticle Self-Assembly Using Plasma-Induced Ostwald Ripening. *Nanotechnology*, 22(23). <https://doi.org/10.1088/0957-4484/22/23/235306>
- Waluyo, H., & Noerochiem, L. (2014). Pengaruh Temperatur Hydrothermal Terhadap Baterai Ion Lithium Type Aqueous Elektrolit. *Institut Teknologi*

Sepuluh Nopember, 3(2), 2–7.

- Wang, X., & Zhang, H. L. (2021). Effect Of Calcining Temperatures On The Electrochemical Performances Of $\text{LiNi}_{0.5}\text{Co}_{0.2}\text{Mn}_{0.3}\text{O}_2$ Cathode Material For Lithium Ion Batteries. *International Journal Of Electrochemical Science*, 16(1), 1–11. <https://doi.org/10.20964/2021.01.18>
- Widiyandari, H., Sukmawati, A. N., Sutanto, H., Yudha, C., & Purwanto, A. (2019). Synthesis Of $\text{LiNi}_{0.8}\text{Mn}_{0.1}\text{Co}_{0.1}\text{O}_2$ Cathode Material By Hydrothermal Method For High Energy Density Lithium Ion Battery. *Journal Of Physics: Conference Series*, 1153(1), 0–7. <https://doi.org/10.1088/1742-6596/1153/1/012074>
- Wigayati, Ety Marty. (2018). *SINTESIS $\text{Li}_{1,37}\text{Mn}_2\text{O}_4$ DENGAN METODE SOLID-STATE REACTION DAN HYDROTHERMAL*. 4, 79–90.
- Wijareni, A. S., Widiyandari, H., Purwanto, A., Arif, A. F., & Mubarok, M. Z. (2022). Morphology And Particle Size Of A Synthesized NMC 811 Cathode Precursor With Mixed Hydroxide Precipitate And Nickel Sulfate As Nickel Sources And Comparison Of Their Electrochemical Performances In An NMC 811 Lithium-Ion Battery. *Energies*, 15(16). <https://doi.org/10.3390/en15165794>
- Xu, L., Zhou, F., Liu, B., Zhou, H., Zhang, Q., Kong, J., & Wang, Q. (2018). *Progress In Preparation And Modification Of $\text{LiNi}_{0.6}\text{Mn}_{0.2}\text{Co}_{0.2}\text{O}_2$ Cathode Material For High Energy Density Li-Ion Batteries*. 2018(111).
- Yudha, C. S., Hasanah, L. M., Muzayanha, S. U., Widiyandari, H., & Purwanto, A. (2019). Synthesis And Characterization Of Material $\text{LiNi}_{0.8}\text{Co}_{0.15}\text{Al}_{0.05}\text{O}_2$ Using One-Step Co-Precipitation Method For Li-Ion Batteries. *JKPK (Jurnal Kimia Dan Pendidikan Kimia)*, 4(3), 134. <https://doi.org/10.20961/jkpk.v4i3.29850>
- Yudha, C. S., Hutama, A. P., Rahmawati, M., Arinawati, M., Aliwarga, H. K. (Kiwi), Widiyandari, H., & Purwanto, A. (2022). Production Of Nickel-Rich $\text{LiNi}_{0.89}\text{Co}_{0.08}\text{Al}_{0.03}\text{O}_2$ cathode Material For High Capacity NCA/Graphite Secondary Battery Fabrication. *Open Engineering*, 12(1), 501–510.

<https://doi.org/10.1515/Eng-2022-0051>

- Yuniarti, E., Triwibowo, J., & Suharyadi, D. E. (2015). Pengaruh Ph, Suhu Dan Waktu Pada Sintesis Lifepo₄/C Dengan Metode Sol-Gel Sebagai Material Katoda Untuk Baterai Sekunder Lithium. *Bimipa*, 23(3), 218–228. <https://journal.ugm.ac.id/bimipa/article/view/13851>
- Zhang, J., Zhang, L., Sun, F., & Wang, Z. (2018). An Overview On Thermal Safety Issues Of Lithium-Ion Batteries For Electric Vehicle Application. *IEEE Access*, 6(May), 23848–23863. <https://doi.org/10.1109/ACCESS.2018.2824838>
- Zheng, J., Yan, P., Estevez, L., Wang, C., & Zhang, J. G. (2018). Effect Of Calcination Temperature On The Electrochemical Properties Of Nickel-Rich Lini_{0.76}Mn_{0.14}Co_{0.10}O₂ Cathodes For Lithium-Ion Batteries. *Nano Energy*, 49(May), 538–548. <https://doi.org/10.1016/j.nanoen.2018.04.077>
- Zheng, X., Li, X., Huang, Z., Zhang, B., Wang, Z., Guo, H., & Yang, Z. (2015). Enhanced Electrochemical Performance Of Lini_{0.6}Co_{0.2}Mn_{0.2}O₂ Cathode Materials By Ultrasonic-Assisted Co-Precipitation Method. *Journal Of Alloys And Compounds*, 644, 607–614. <https://doi.org/10.1016/j.jallcom.2015.04.173>
- Zhu, P., Han, J., & Pfleging, W. (2021). Characterization And Laser Structuring Of Aqueous Processed Li(Ni_{0.6}Mn_{0.2}Co_{0.2})O₂ Thick-Film Cathodes For Lithium-Ion Batteries. *Nanomaterials*, 11(7). <https://doi.org/10.3390/nano11071840>