

DAFTAR PUSTAKA

- A.M.O. Brett, C.M. Brett, A Electrochemistry Principles, Methods, and Applications, Oxford University Press, Coimbra, 1994
- Arvas, Melih Besir and Gencten, Metin and Sahin, Yucel, Investigation of Supercapacitor Properties of Chlorine-Containing Functional Groups Doped Graphene Electrodes.
- Bandzuchova, L., Svorc, L., Sochr, J., Svitkova, J., Chylkova, J., 2013. Voltammetric Method for Sensitive Determination of Herbicide Picloram in Environmental and Biological Samples Using Boron-doped Diamond Film Electrode. *Electrochimica Acta* 111, 242-249.
- Bard, A. J.; Faulkner, L. R. *Electrochemical Methods: Fundamental and Applications*, 2nd ed.; John Wiley & Sons: Hoboken, NJ, 2001.
- D.K. Gosser, *Cyclic Voltammetry: Simulation and Analysis of Reaction Mechanism*, WileyVCH, New York, NY, 1993.
- Departemen Kesehatan RI. 2003, Modul epidemiologi malaria, Direktorat Jenderal Pemberantasan Penyakit Menular dan Penyehatan Lingkungan Pemukiman, Departemen Kesehatan RI, Jakarta; 2003. .
- Dhiman, S. Are malaria elimination efforts on right track? An analysis of gains achieved and challenges ahead. *Infect. Dis. Poverty* 2019, 8, 14
- Efelina, V. (2015). *Kajian Pengaruh Konsentrasi Urea dalam Sifat Optik Nanofiber Graphene Oxide/PVA (Polyvinil Alcohol) yang difabrikasi Menggunakan Teknik Electrospining*. Tesis. Yogyakarta : FMIPA UGM
- F.Manea, *Electrochemical techniques for characterization and detection application of nanostructured carbon composite*, in: M. Aliofkhazraei (Ed.), *Modern Electrochemical Methods in Nano, Surface and Corrosion Science*, InTech, Rijeka, Croatia, 2014. ISBN 978-953-51-1586-1.

- Gosser, David. K. Jr. 1993. Cyclic Voltammetry Simulation and Analysis of Reaction Mechanism. USA: VCH Publisher.
- Harijanto PN. Gejala Klinik Malaria. Dalam: Harijanto PN (editor). Malaria, Epidemiologi, Patogenesis, Manifestasi Klinis dan Penanganan. Jakarta: EGC, Hal: 151-55, 2000.
- Harijanto PN. Malaria. Buku Ajar Ilmu Penyakit Dalam. Jilid III, edisi IV. Fakultas Kedokteran Universitas Indonesia. Jakarta, Hal: 1754-60, 2006.
- Ivandini, T.A., Kensuke, H., Tata, N.R., Akira, F., and Yasuaki, E., 2007. Simultaneous Detection of Purine and Pyrimidine at Highly Boron-doped Diamond Electrodes by Using Liquid Chromatography. *Talanta* 71(2), 648-655.
- Jenkins, G. M., and Kawamura, K., 1971, *Nature*, 231, 175; 1976, *Polymeric Carbons – Carbon Fibre, Glass and Char* (Cambridge: Cambridge University Press).
- Karakaya, S., Kartal, B. & Dilgin, Y. Ultrasensitive voltammetric detection of an antimalarial drug (amodiaquine) at a disposable and low cost electrode. *Monatsh Chem* 151, 1019–1026 (2020).
- Khopkar, S.M. 1990. *Konsep Dasar Kimia Analitik*. Jakarta: Universitas Indonesia.
- Kraft, A. (2007). Doped diamond: a compact review on a new, versatile electrode material. *International Journal of Electrochemical Science*, 2, 355–385.
- Lawrence, N. S., Pagels, M., Meredith, A., Jones, T. G. J., Hall, C. E., Pickles, C. S. J., et al. (2006). Electroanalytical applications of boron-doped diamond microelectrode arrays. *Talanta*, 69, 829–834.
- Macpherson, J. V. (2015). The use of conducting diamond in electrochemistry. *Electrochemistry of Carbon Electrodes*, 163-210.
- M. Datta, R. V. Shenoy, C. Jahnes, P. C. Andricacos, J. Horkans, J. O. Dukovic, L. T. Romankiw, J. Roeder, H. Deligianni, H. Nye, B. Agarwala, H. M. 28


- Tong, and P. Totta, J. (1995). *Electrochem. Soc.*, 142, 3779. Reiger, P. H. 1994. *Electrochemistry*. 2 nd edition USA: Chapman and Hall, Inc.
- Pan American Health Organization; World Health Organization. *Epidemiological Alert, Increase of Malaria in the Americas*; PAHO: Washington, DC, USA, 2018. 4.
- Pecková, K., Musilová, J., & Barek, J. (2009). Boron-doped diamond film electrodes – new tool for voltammetric determination of organic substances. *Critical Reviews in Analytical Chemistry*, 39, 148–172
- Saveant, J.-M. *Elements of Molecular and Biomolecular Electrochemistry*; John Wiley & Sons: Hoboken, NJ, 2006
- Simões, F.R. (2017). *Nanoscience and its Applications || Electrochemical Sensors*. , (), 155–178..
- Skoog DA, 1996. *Fundamental of Analytical Chemistry* 7th Edition. USA: Saunders College Publishing.
- Sutarto. 2017. Faktor Lingkungan, Perilaku dan Penyakit Malaria. *Journal Agromed Unila*, 4 (1).
- Svorc, L., Tomčík, P., Svitková, J., and Bustín, D.,. 2012. Voltammetric Determination of Caffeine in Beverage Samples on Bare Boron-Doped Diamond Electrode. *Food Chemistry* 135, 1198-1204.
- Tempong Buka, H., Kendek Allo, E., & U A Sompie, S. R. (2015). Rancang Bangun Sistem Keamanan Rumah Menggunakan Sensor PIR (Passive Infrared) Dan SMS Sebagai Notifikasi. *Journal Teknik Elektro Dan Komputer*, 4(6), 10–15.
- Vita, Efelina. 2015. *Kajian Pengaruh Konsentrasi Urea dalam Sifat Optik Nanofiber Graphene Oxide/PVA (Polyvinyl Alcohol) yang Difabrikasi Menggunakan Teknik Electrospinning*. Skripsi. Yogyakarta: UGM.

Wang, Joseph. 1994. *Electrochemical Analysis*. USA: Wiley-VHC, Inc.. J.P. Daily, *J. Clin. Pharmacol.* 46 (2006) 1487–1497.

WHO, *World Malaria Report 2021*, 2021

World Health Organization. *World Malaria Report 2018*; WHO: Geneva, Switzerland, 2018. 2.

White, N.J.N.; Pukrittayakamee, S.; Hien, T.T.T.; Faiz, M.A.; Mokuolu, O.A.O.; Dondorp, A.A.M. *Malaria*. *Lancet* 2014, 383, 723–735.



www.itk.ac.id