

DAFTAR PUSTAKA

- Albornoz-Palma, G., Ching, D., Andrade, A., Henríquez-Gallegos, S., Teixeira Mendonça, R., & Pereira, M. (2022). Relationships between Size Distribution, Morphological Characteristics, and Viscosity of Cellulose Nanofibril Dispersions. *Polymers*, 14(18). <https://doi.org/10.3390/polym14183843>
- Alsuraifi, A. (2018). *Hydroxypropylmethacrylamide based thermoresponsive magnetomicelles for controllable drug delivery in pancreatic cancer*. <https://www.researchgate.net/publication/343366480>
- Aswini, K., Gopal, N. O., & Uthandi, S. (2020). Optimized culture conditions for bacterial cellulose production by *Acetobacter senegalensis* MA1. *BMC Biotechnology*, 20(1). <https://doi.org/10.1186/s12896-020-00639-6>
- Bacakova, L., Pajorova, J., Bacakova, M., Skogberg, A., Kallio, P., Kolarova, K., & Svorcik, V. (2019). Versatile application of nanocellulose: From industry to skin tissue engineering and wound healing. In *Nanomaterials* (Vol. 9, Issue 2). MDPI AG. <https://doi.org/10.3390/nano9020164>
- Barja, F. (2021). Bacterial nanocellulose production and biomedical applications. *Journal of Biomedical Research*, 35(4), 310–317. <https://doi.org/10.7555/JBR.35.20210036>
- Barkane, A., Kampe, E., Platnieks, O., & Gaidukovs, S. (2021). Cellulose nanocrystals vs. Cellulose nanofibers: A comparative study of reinforcing effects in uv-cured vegetable oil nanocomposites. *Nanomaterials*, 11(7). <https://doi.org/10.3390/nano11071791>
- Berglund, L., Squinca, P., Baş, Y., Zattarin, E., Aili, D., Rakar, J., Junker, J., Starkenberg, A., Diamanti, M., Sivilér, P., Skog, M., & Oksman, K. (2023). Self-Assembly of Nanocellulose Hydrogels Mimicking Bacterial Cellulose for Wound Dressing Applications. *Biomacromolecules*, 24(5), 2264–2277. <https://doi.org/10.1021/acs.biomac.3c00152>
- Casanova, F., Pereira, C. F., Ribeiro, A. B., Costa, E. M., Freixo, R., Castro, P. M., Fernandes, J. C., Pintado, M., & Ramos, Ó. L. (2023). Design of Innovative Biocompatible Cellulose Nanostructures for the Delivery and Sustained

Release of Curcumin. *Pharmaceutics*, 15(3).
<https://doi.org/10.3390/pharmaceutics15030981>

- Chanda, S., & Bajwa, D. S. (2021). A review of current physical techniques for dispersion of cellulose nanomaterials in polymer matrices. In *Reviews on Advanced Materials Science* (Vol. 60, Issue 1, pp. 325–341). Walter de Gruyter GmbH. <https://doi.org/10.1515/rams-2021-0023>
- Chitbanyong, K., Pitiphattharaworachot, S., Pisutpiched, S., Khantayanuwong, S., & Puangsin, B. (2018). Bamboo nanocellulose. In *BioResources* (Vol. 13, Issue 2).
- Dang, Z., Ragauskas, A. J., Hsieh, J. S., Deng, Y., Muzzy, J. D., & Singh, P. M. (2007). *The Investigation of Carboxyl Groups of Pulp Fibers during Kraft Pulping, Alkaline Peroxide Bleaching, and TEMPO-mediated Oxidation*.
- Dimawarnita, F., Faramitha, Y., Prakoso, H. T., Puspitasari, I., Kalbuadi, D. N., & Prasetyo, D. (2023). Characterization of cellulose from oil palm empty fruit bunches by fast delignification process with different solvents. *E-Journal Menara Perkebunan*, 91(2). <https://doi.org/10.22302/iribb.jur.mp.v91i2.542>
- Du, B., Jeepipalli, S. P. K., & Xu, B. (2022). Critical review on alterations in physiochemical properties and molecular structure of natural polysaccharides upon ultrasonication. In *Ultrasonics Sonochemistry* (Vol. 90). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2022.106170>
- Fadhilah, R. I., Arifin, A. Z., & Saputro, A. (2024). *Calculation of Capillarity Constants in Ostwald Viscometer using The Water Viscosity Approach*. IX(4).
- Faradilla, R. H. F., Lee, G., Rawal, A., Hutomo, T., Stenzel, M. H., & Arcot, J. (2016). Nanocellulose characteristics from the inner and outer layer of banana pseudo-stem prepared by TEMPO-mediated oxidation. *Cellulose*, 23(5), 3023–3037. <https://doi.org/10.1007/s10570-016-1025-8>
- Filipova, I., Fridrihsone, V., Cabulis, U., & Berzins, A. (2018). Synthesis of nanofibrillated cellulose by combined ammonium persulphate treatment with ultrasound and mechanical processing. *Nanomaterials*, 8(9). <https://doi.org/10.3390/nano8090640>
- Firouz, M. S., Sardari, H., Alikhani Chamgordani, P., & Behjati, M. (2022). Power ultrasound in the meat industry (freezing, cooking and fermentation):

- Mechanisms, advances and challenges. In *Ultrasonics Sonochemistry* (Vol. 86). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2022.106027>
- Gorgieva, S., & Trček, J. (2019). Bacterial cellulose: Production, modification and perspectives in biomedical applications. In *Nanomaterials* (Vol. 9, Issue 10). MDPI AG. <https://doi.org/10.3390/nano9101352>
- Habibi, Y., Lucia, L. A., & Rojas, O. J. (2010). Cellulose nanocrystals: Chemistry, self-assembly, and applications. *Chemical Reviews*, 110(6), 3479–3500. <https://doi.org/10.1021/cr900339w>
- Haddadin, R. N., & Issa, A. Y. (2011). Development and Validation of Simple Titrimetric Method for the Determination of Magnesium Content in Esomeprazole Magnesium. *Indian Journal of Pharmaceutical Sciences*.
- Harpendi, R., Padil, & Yelmida. (2014). *PROSES PEMURNIAN SELULOSA PELEPAH SAWIT SEBAGAI BAHAN BAKU NITROLESULOSA DENGAN VARIASI pH DAN KONSENTRASI H₂O₂*.
- Hartari, W. R., Delvitasari, F., Maryanti, M., Undadreja, B., Hasbullah, F., & Deksono, G. A. (2023). Pengujian Lignoselulosa Tandan Kosong Kelapa Sawit dengan Waktu Delignifikasi H₂SO₄ Menggunakan Uap Bertekanan. *Jurnal Agro Industri Perkebunan*, 151–158. <https://doi.org/10.25181/jaip.v11i3.3007>
- Hastuti, N., Kanomata, K., & Kitaoka, T. (2019). Characteristics of TEMPO-Oxidized Cellulose Nanofibers from Oil Palm Empty Fruit Bunches Produced by Different Amounts of Oxidant. *IOP Conference Series: Earth and Environmental Science*, 359(1). <https://doi.org/10.1088/1755-1315/359/1/012008>
- Hauptmann, M., Frederickx, F., Struyf, H., Mertens, P., Heyns, M., De Gendt, S., Glorieux, C., & Brems, S. (2013). Enhancement of cavitation activity and particle removal with pulsed high frequency ultrasound and supersaturation. *Ultrasonics Sonochemistry*, 20(1), 69–76. <https://doi.org/10.1016/j.ultsonch.2012.04.015>
- Hernández-Becerra, E., Osorio, M., Marín, D., Gañán, P., Pereira, M., Builes, D., & Castro, C. (2023). Isolation of cellulose microfibrils and nanofibers by mechanical fibrillation in a water-free solvent. *Cellulose*, 30(8), 4905–4923. <https://doi.org/10.1007/s10570-023-05162-3>

- Kaur, P., Sharma, N., Munagala, M., Rajkhowa, R., Aallardyce, B., Shastri, Y., & Agrawal, R. (2021). Nanocellulose: Resources, Physio-Chemical Properties, Current Uses and Future Applications. In *Frontiers in Nanotechnology* (Vol. 3). Frontiers Media S.A. <https://doi.org/10.3389/fnano.2021.747329>
- Kaya, M. (2024). Characterization of TEMPO-Oxidized Cellulose Nanofiber From Biowaste and Its Influence on Molecular Behavior of Fluorescent Rhodamine B Dye in Aqueous Suspensions. *Journal of Fluorescence*. <https://doi.org/10.1007/s10895-024-03824-4>
- Kayra, N., & Aytekin, A. Ö. (2018). *Synthesis of Cellulose-Based Hydrogels: Preparation, Formation, Mixture, and Modification* (pp. 1–28). https://doi.org/10.1007/978-3-319-76573-0_16-1
- Koehler, J., Brandl, F. P., & Goepferich, A. M. (2018). Hydrogel wound dressings for bioactive treatment of acute and chronic wounds. In *European Polymer Journal* (Vol. 100, pp. 1–11). Elsevier Ltd. <https://doi.org/10.1016/j.eurpolymj.2017.12.046>
- Kotthaus, S., Smith, T. E. L., Wooster, M. J., & Grimmond, C. S. B. (2014). Derivation of an urban materials spectral library through emittance and reflectance spectroscopy. *ISPRS Journal of Photogrammetry and Remote Sensing*, 94, 194–212. <https://doi.org/10.1016/j.isprsjprs.2014.05.005>
- Kumar, R., Rai, B., Gahlyan, S., & Kumar, G. (2021). A comprehensive review on production, surface modification and characterization of nanocellulose derived from biomass and its commercial applications. *Express Polymer Letters*, 15(2), 104–120. <https://doi.org/10.3144/expresspolymlett.2021.11>
- Lee, H. V., Hamid, S. B. A., & Zain, S. K. (2014). Conversion of lignocellulosic biomass to nanocellulose: Structure and chemical process. *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/631013>
- Levanič, J., Šenk, V. P., Nadrah, P., Poljanšek, I., Oven, P., & Haapala, A. (2020). Analyzing TEMPO-Oxidized Cellulose Fiber Morphology: New Insights into Optimization of the Oxidation Process and Nanocellulose Dispersion Quality. *ACS Sustainable Chemistry and Engineering*, 8(48), 17752–17762. <https://doi.org/10.1021/acssuschemeng.0c05989>

- Lewandowski, M., & Gwozdziński, K. (2017). Nitroxides as antioxidants and anticancer drugs. In *International Journal of Molecular Sciences* (Vol. 18, Issue 11). MDPI AG. <https://doi.org/10.3390/ijms18112490>
- Li, W., Yue, J., & Liu, S. (2012). Preparation of nanocrystalline cellulose via ultrasound and its reinforcement capability for poly(vinyl alcohol) composites. *Ultrasonics Sonochemistry*, 19(3), 479–485. <https://doi.org/10.1016/j.ultsonch.2011.11.007>
- Li, Y., Zhu, H., Xu, M., Zhuang, Z., Xu, M., & Dai, H. (2014). Cellulose nanofiber preparation. In *BioResources* (Vol. 9, Issue 2).
- Liang, L., Yang, J., Lv, G., Lei, Z., Li, X., & Liu, Q. (2021). Surface-Functionalized Nanocelluloses as Viscosity-Modifying Agents in Engineered Cementitious Composites. *Frontiers in Materials*, 8. <https://doi.org/10.3389/fmats.2021.783176>
- Liimatainen, H., Suopajarvi, T., Sirviö, J., Hormi, O., & Niinimäki, J. (2014). Fabrication of cationic cellulosic nanofibrils through aqueous quaternization pretreatment and their use in colloid aggregation. *Carbohydrate Polymers*, 103(1), 187–192. <https://doi.org/10.1016/j.carbpol.2013.12.042>
- Lin, N., & Dufresne, A. (2014). Nanocellulose in biomedicine: Current status and future prospect. In *European Polymer Journal* (Vol. 59, pp. 302–325). Elsevier Ltd. <https://doi.org/10.1016/j.eurpolymj.2014.07.025>
- Liu, X., Renard, C. M. G. C., Bureau, S., & Le Bourvellec, C. (2021). Revisiting the contribution of ATR-FTIR spectroscopy to characterize plant cell wall polysaccharides. *Carbohydrate Polymers*, 262. <https://doi.org/10.1016/j.carbpol.2021.117935>
- Liu, X., Sun, H., Mu, T., Fauconnier, M. L., & Li, M. (2023). Preparation of cellulose nanofibers from potato residues by ultrasonication combined with high-pressure homogenization. *Food Chemistry*, 413. <https://doi.org/10.1016/j.foodchem.2023.135675>
- Lu, P., & Hsieh, Y. Lo. (2010). Preparation and properties of cellulose nanocrystals: Rods, spheres, and network. *Carbohydrate Polymers*, 82(2), 329–336. <https://doi.org/10.1016/j.carbpol.2010.04.073>

- Maestri, C. A., Abrami, M., Hazan, S., Chistè, E., Golan, Y., Rohrer, J., Bernkop-Schnürch, A., Grassi, M., Scarpa, M., & Bettotti, P. (2017). *Role of sonication pre-treatment and cation valence in nano-cellulose suspensions sol-gel transition*.
- Mawardi, I., Aprilia, S., Faisal, M., Ikramullah, & Rizal, S. (2022). An investigation of thermal conductivity and sound absorption from binderless panels made of oil palm wood as bio-insulation materials. *Results in Engineering*, 13. <https://doi.org/10.1016/j.rineng.2021.100319>
- Mazela, B., Perdoch, W., Peplińska, B., & Zieliński, M. (2020). Influence of chemical pre-treatments and ultrasonication on the dimensions and appearance of cellulose fibers. *Materials*, 13(22), 1–14. <https://doi.org/10.3390/ma13225274>
- Mohan, P., Yusof, N. S. M., Thomas, S., & Rahman, N. M. M. A. (2024). Ultrasound-Alkali-Assisted Isolation of Cellulose from Coconut Shells. *BioResource*, 7870–7885. <https://doi.org/10.15376/biores.19.4.7870-7885>
- Mołoń, M., Szlachcikowska, D., Stępień, K., Kielar, P., & Galiniak, S. (2023). Two faces of TEMPO (2,2,6,6-tetramethylpiperidiny-1-oxyl) – An antioxidant or a toxin? *Biochimica et Biophysica Acta - Molecular Cell Research*, 1870(2). <https://doi.org/10.1016/j.bbamcr.2022.119412>
- Moradi, M., Jacek, P., Farhangfar, A., Guimarães, J. T., & Forough, M. (2021). The role of genetic manipulation and in situ modifications on production of bacterial nanocellulose: A review. In *International Journal of Biological Macromolecules* (Vol. 183, pp. 635–650). Elsevier B.V. <https://doi.org/10.1016/j.ijbiomac.2021.04.173>
- Panchal, P., Ogunsona, E., & Mekonnen, T. (2019). Trends in advanced functional material applications of nanocellulose. In *Processes* (Vol. 7, Issue 1). MDPI AG. <https://doi.org/10.3390/pr7010010>
- Park, J., Lee, D., Hwang, K., Lee, J., Lee, T. J., Kim, Y., Kim, J. H., Lee, J., Youe, W. J., Chun, S. J., & Gwon, J. (2024). Effect of catalyst and oxidant concentrations in a TEMPO oxidation system on the production of cellulose nanofibers. *RSC Advances*, 14(45), 32852–32862. <https://doi.org/10.1039/d4ra04948a>

- Pratama, R. D., Farid, M., & Haniffudin, N. (2017). Pengaruh Proses Alkalisasi terhadap Morfologi Serat Tandan Kosong Kelapa Sawit untuk Bahan Penguat Komposit Absorpsi Suara. *JURNAL TEKNIK ITS*, 6.
- R, R., Philip, E., Thomas, D., Madhavan, A., Sindhu, R., Binod, P., Varjani, S., Awasthi, M. K., & Pandey, A. (2021). Bacterial nanocellulose: engineering, production, and applications. In *Bioengineered* (Vol. 12, Issue 2, pp. 11463–11483). Taylor and Francis Ltd. <https://doi.org/10.1080/21655979.2021.2009753>
- Rahman, N., Giller, K. E., de Neergaard, A., Magid, J., van de Ven, G., & Bruun, T. B. (2021). The effects of management practices on soil organic carbon stocks of oil palm plantations in Sumatra, Indonesia. *Journal of Environmental Management*, 278. <https://doi.org/10.1016/j.jenvman.2020.111446>
- Ratnakumar, A., Samarasekara, B. A. M. P., Amarasinghe, S. D. A., & Karunanayake, L. (2022). Effect of Sonication Time on Cellulose Nanofiber Disintegration from Locally Available Rice Straw. *Macromolecular Symposia*, 402(1). <https://doi.org/10.1002/masy.202100425>
- Regina, O., Sudrajad, H., Syaflita, D., Fisika, P., & Riau, U. (2018). MEASUREMENT OF VISCOSITY USES AN ALTERNATIVE VISCOMETER PENGUKURAN VISKOSITAS MENGGUNAKAN VISKOMETER ALTERNATIF. *Jurnal Geliga Sains*, 6(2), 127–132.
- Ribeiro, R. S. A., Pohlmann, B. C., Calado, V., Bojorge, N., & Pereira, N. (2019). Production of nanocellulose by enzymatic hydrolysis: Trends and challenges. In *Engineering in Life Sciences* (Vol. 19, Issue 4, pp. 279–291). Wiley-VCH Verlag. <https://doi.org/10.1002/elsc.201800158>
- Rotaru, R., Savin, M., Tudorachi, N., Peptu, C., Samoila, P., Sacarescu, L., & Harabagiu, V. (2018). Ferromagnetic iron oxide-cellulose nanocomposites prepared by ultrasonication. *Polymer Chemistry*, 9(7), 860–868. <https://doi.org/10.1039/c7py01587a>
- Saito, T., Hirota, M., Tamura, N., & Isogai, A. (2010). Oxidation of bleached wood pulp by TEMPO/NaClO/NaClO₂ system: Effect of the oxidation conditions on carboxylate content and degree of polymerization. *Journal of Wood Science*, 56(3), 227–232. <https://doi.org/10.1007/s10086-009-1092-7>

- Saito, T., Kuramae, R., Wohllert, J., Berglund, L. A., & Isogai, A. (2013). An ultrastrong nanofibrillar biomaterial: The strength of single cellulose nanofibrils revealed via sonication-induced fragmentation. *Biomacromolecules*, 14(1), 248–253. <https://doi.org/10.1021/bm301674e>
- Salimi, S., Sotudeh-Gharebagh, R., Zarghami, R., Chan, S. Y., & Yuen, K. H. (2019). Production of Nanocellulose and Its Applications in Drug Delivery: A Critical Review. In *ACS Sustainable Chemistry and Engineering* (Vol. 7, Issue 19, pp. 15800–15827). American Chemical Society. <https://doi.org/10.1021/acssuschemeng.9b02744>
- Sanchez-Salvador, J. L., Xu, H., Balea, A., Negro, C., & Blanco, A. (2023). Nanocellulose from a colloidal material perspective. In *Frontiers in Materials* (Vol. 10). Frontiers Media SA. <https://doi.org/10.3389/fmats.2023.1231404>
- Shailaja, A. K., & Ragini, B. P. (2022). Nanocellulose: Preparation, Characterization and Applications. *Pharmaceutics and Pharmacology Research*, 5(1), 01–15. <https://doi.org/10.31579/2693-7247/039>
- Shavyrkina, N. A., Budaeva, V. V., Skiba, E. A., Mironova, G. F., Bychin, N. V., Gismatulina, Y. A., Kashcheyeva, E. I., Sitnikova, A. E., Shilov, A. I., Kuznetsov, P. S., & Sakovich, G. V. (2021). Scale-up of biosynthesis process of bacterial nanocellulose. *Polymers*, 13(12). <https://doi.org/10.3390/polym13121920>
- Shuchi, J., Mohit, C., Chintaman, K., & Abdul, A. P. J. (2019). Titrimetric Analysis of Acelofenec Sodium by using Mixed Solvency. In *Published in International Journal of Trend in Scientific Research and Development (ijtsrd)* (Issue 4). <http://creativecommons.org/licenses/by/4.0>
- Smriti, S. A., Haque, A. N. M. A., Khadem, A. H., Siddiqa, F., Rahman, A. N. M. M., Himu, H. A., Farzana, N., Islam, M. A., & Naebe, M. (2023). Recent developments of the nanocellulose extraction from water hyacinth: a review. In *Cellulose* (Vol. 30, Issue 14, pp. 8617–8641). Springer Science and Business Media B.V. <https://doi.org/10.1007/s10570-023-05374-7>
- Sumari, S., & Roesyadi, A. (2013). *Effects of ultrasound on the morphology, particle size, crystallinity, and crystallite size of cellulose*. <https://www.researchgate.net/publication/289305334>

- Sun, Y., & Ye, X. (2013). Enhancement or reduction of sonochemical activity of pulsed ultrasound compared to continuous ultrasound at 20 kHz? *Molecules*, 18(5), 4858–4867. <https://doi.org/10.3390/molecules18054858>
- Szymańska-Chargot, M., Cieśla, J., Pękala, P., Pieczywek, P. M., Oleszek, W., Żyła, M., Szkopek, Z., & Zdunek, A. (2022). The Influence of High-Intensity Ultrasonication on Properties of Cellulose Produced from the Hop Stems, the Byproduct of the Hop Cones Production. *Molecules*, 27(9). <https://doi.org/10.3390/molecules27092624>
- Taib, M. N. A. M., Yehye, W. A., Julkapli, N. M., & Hamid, S. B. O. A. A. (2018). Influence of Hydrophobicity of Acetylated Nanocellulose on the Mechanical Performance of Nitrile Butadiene Rubber (NBR) Composites. *Fibers and Polymers*, 19(2), 383–392. <https://doi.org/10.1007/s12221-018-7591-z>
- Taurozzi, J. S., Hackley, V. A., & Wiesner, M. R. (2012). *Preparation of Nanoparticle Dispersions from Powdered Material Using Ultrasonic Disruption - Version 1.1*. <https://doi.org/10.6028/NIST.SP.1200-2>
- Tofangchi, A., Basti, K., Jonoobi, M., Sepahvand, S., Ashori, A., Siracusa, V., Rabie, D., Mekonnen, T. H., & Naeijian, F. (2022). *Employing Cellulose Nanofiber-Based Hydrogels for Burn Dressing*. <https://doi.org/10.3390/polym>
- Undavalli, V. K., Ling, C., & Khandelwal, B. (2021). Impact of alternative fuels and properties on elastomer compatibility. In *Aviation Fuels* (pp. 113–132). Elsevier. <https://doi.org/10.1016/B978-0-12-818314-4.00001-7>
- Vasquez-Zacarias, L., Ponce-Peña, P., Pérez-López, T., Franco-Urquiza, E. A., Ramirez-Galicia, G., & Poisot, M. (2018). Hybrid Cellulose–Silica Materials from Renewable Secondary Raw Resources: An Eco-friendly Method. *Global Challenges*, 2(7). <https://doi.org/10.1002/gch2.201700119>
- Wang, L., Li, K., Copenhaver, K., MacKay, S., Lamm, M. E., Zhao, X., Dixon, B., Wang, J., Han, Y., Neivandt, D., Johnson, D. A., Walker, C. C., Ozcan, S., & Gardner, D. J. (2021). Review on Nonconventional Fibrillation Methods of Producing Cellulose Nanofibrils and Their Applications. In *Biomacromolecules* (Vol. 22, Issue 10, pp. 4037–4059). American Chemical Society. <https://doi.org/10.1021/acs.biomac.1c00640>

- Wang, P., Jin, L., Liu, J., Zhu, S., & Hu, H. (2013). Analysis of coal tar derived from pyrolysis at different atmospheres. *Fuel*, 104, 14–21. <https://doi.org/10.1016/j.fuel.2010.06.041>
- Xu, H., Sanchez-Salvador, J. L., Balea, A., Blanco, A., & Negro, C. (2022a). Optimization of reagent consumption in TEMPO-mediated oxidation of Eucalyptus cellulose to obtain cellulose nanofibers. *Cellulose*, 29(12), 6611–6627. <https://doi.org/10.1007/s10570-022-04672-w>
- Xu, H., Sanchez-Salvador, J. L., Balea, A., Blanco, A., & Negro, C. (2022b). Optimization of reagent consumption in TEMPO-mediated oxidation of Eucalyptus cellulose to obtain cellulose nanofibers. *Cellulose*, 29(12), 6611–6627. <https://doi.org/10.1007/s10570-022-04672-w>
- Zaini, L. H., Gindl-Altmutter, W., Gusenbauer, C., Rahayu, I. S., Lubis, M. A. R., Mautner, A., & Veigel, S. (2024). Nanofibrils from oil palm trunk: effect of delignification and fibrillation technique. *Journal of Wood Science*, 70(1). <https://doi.org/10.1186/s10086-024-02133-5>

