

DAFTAR PUSTAKA

- Adiananda, A. (2015). *Bumper mobil sebagai komponen keselamatan kendaraan*. Jakarta: Penerbit Teknik Otomotif Indonesia.
- Aldo, J., Sunardi, Pinem, M. P., & Aldo, J. (2025). The effect of volume fraction and fiber direction on impact toughness and lentur strength of oil palm empty fruit composite materials. *SJME Kinematika*, 10(2), 242–250.
- Alfiani, L. (2015). Alkalisasi kimia *Fly Ash* sebagai bahan pengisi komposit. *Jurnal Teknologi Material*, 7(2), 55–62.
- Alviany, N. (2020). Analisis komposisi kimia *Fly Ash* PLTU Balikpapan. *Jurnal Rekayasa Energi*, 6(1), 21–29.
- Anderson, T.L., & Anderson, T.L. (2005). *Fracture Mechanics: Fundamentals and Applications*, Third Edition (3rd ed.). CRC Press.
- Asrofi, M., Dwilaksana, D., Sakura, R. R., Junus, S., Sutjahjono, H., Hentihu, M. F. R., Yudhistiro, D., Syuhri, S. N. H., & Taufik. (2023). Penigkatan kualitas produk material komposit fiberglass menggunakan vaccum assisted resin infusion di Industri Wangi Fiberglass Banyuwangi. Jurusan Teknik Mesin, Fakultas Teknik, Universitas Jember, Jawa Timur.
- Bahrami, A., et al. (2022). Delamination in composite structures: A failure analysis. *Composite Structures Journal*, 260, 113–125.
- Brighenti, R. (2016). Mechanical debonding in layered composites. *International Journal of Adhesion and Adhesives*, 66, 1–9.
- Desianti, I. (2018). Karakterisasi nanosilika dari abu terbang (*Fly Ash*) PT. Bosowa Energi Jenepono dengan metode ultrasonic. Skripsi, Fakultas Sains & Teknologi, Universitas Islam Negeri Alauddin Makassar
- E. Strzałkowska. (2023). Elemental recovery from *Fly Ash* via air classification. *Journal of Environmental Science & Engineering*, 12(3), 200–215.
- Essabir, H., Hilali, E., Elgharad, A., El Minor, H., Imad, A., Elamraoui, A., & Al Gaoudi, O. (2013). Mechanical and thermal properties of bio-composites based on polypropylene reinforced with Nut-shells of Argan particles. *Materials & Design*, 49, 442–448.
- Fatimah, F., Turmuzi, M., Syam, Z. L., & Yunita, T. P. (2023). Pengaruh konsentrasi pelarut NaOH dan waktu aging pada pembuatan silika gel dari *Fly Ash* batu bara. *Jurnal Teknik Kimia USU*, 12(2), 124–131.
- Fernández-Jiménez, A., & Palomo, A. (2005). Mid-infrared spectroscopic studies of

- alkali-activated *Fly Ash* structure. *Microporous and Mesoporous Materials*, 86(1–3), 207–214. <https://doi.org/10.1016/j.micromeso.2005.05.057>
- García-Lodeiro, I., Fernández-Jiménez, A., Blanco, M. T., & Palomo, A. (2008). FTIR study of the sol–gel synthesis of cementitious gels: C–S–H and N–A–S–H. *Journal of Sol-Gel Science and Technology*, 45(1), 63–72.
- Getahun, M. (2018). Analysis of microcracking behavior in fiber-reinforced composites. *Engineering Failure Analysis*, 95, 456–463.
- Ghali, R., et al. (2021). *Void* and delamination in polymer composites: Causes and characterization. *Materials Performance and Characterization*, 10(2), 120–130.
- Ghozali, M., et al. (2021). Potensi pemanfaatan limbah FABA dari PLTU Suralaya. *Jurnal Energi Listrik*, 8(3), 12–18.
- Goh, K. L., Tay, B. Y., & Ong, S. E. (2010). Interfacial adhesion mechanisms and their effect on the mechanical performance of polymer composites. *Composites Science and Technology*, 70(12), 1680–1687.
- Hanifi, A., et al. (2019). Development of natural-based composite materials for automotive applications. *Journal of Composite Materials*, 53(18), 2574–2588.
- Hamzah, M. S., Sam, A., & Mukkas, I. (2018). Pengaruh fraksi berat *Fly Ash* pada komposit matrik serbuk limbah aluminium terhadap sifat kekerasan (Effect of *Fly Ash* weight fraction on the composite of aluminum waste powder to the hardness properties). Dalam SNITT- Politeknik Negeri Balikpapan 2018 (hlm. 269). ISBN: 978-602-51450-1-8.
- Hariyanto, A., Anggono, A. D., Pratiwi, D. A., Amali, A. B., Melaty, S., Adi, Z. K., Ngafwan, Supriyono, & Kultsum, U. (2024). Effect of Volume Fraction of Epoxy Matrix Coconut Shell Composite on Tensile and Impact Loads. *Engineering Proceedings*, 63(1), 14.
- Huwae, J., et al. (2016). Penggunaan Woven Roving dalam penguatan komposit. *Jurnal Teknologi Bahan*, 10(1), 33–40.
- Iqbal, M., et al. (2022). Karakterisasi *Fly Ash* dari PLTU Pulang Pisau untuk bahan material. *Jurnal Kimia dan Material*, 9(2), 101–109.
- Irawan, A. P., & Sukari, I. W. (2015). Pengaruh *void* pada kekuatan material komposit. *Jurnal Teknik Mesin*, 13(1), 23–29.
- Jayamani, E., Rahman, M., Benhur, D. A., Bakri, M. K., Kakar, A., & Khan, A. (2020). Comparative study of *Fly Ash*/sugarcane fiber reinforced polymer composites properties. *BioResources*, 15(3), 5514–5531.
- Julian, M. (2022). Pemanfaatan serat alam untuk *bumper* mobil berbasis komposit.

- Kannan, G., Thangaraju, R., Kayaroganam, P., & Davim, J. P. (2022). The combined effect of banana fiber and *Fly Ash* reinforcements on the mechanical behavior of *polyester* composites. *Materials Research Innovations*, 26(8), 11384–11403.
- Karnes, J. J., Mohottalalage, S. S., Maiti, A., Saab, A. P., & Weisgraber, T. H. (2025). On void formation during the simulated tensile testing of polymer-*filler* particle composites (arXiv:2507.05547) [Soft condensed matter; Computational physics].
- Kundie, F., Azhari, C. H., Muchtar, A., & Ahmad, Z. A. (2018). Effects of *filler* size on the mechanical properties of polymer-filled dental composites: A review of recent developments. *Journal of Physical Science*, 29(1), 141–165.
- Kumar, S., Gariya, N., Shaikh, A., Kumar, A., & Yadav, S. (2025). Physico-mechanical and thermal properties of *Fly Ash* and benzoylated Himalayan Agave fiber reinforced *polyester* composite. *Biomass Conversion and Biorefinery*, 15, 7387–7400.
- Lebedev, M. P., et al. (2023). Initiation and growth of microcracks in hybrid composites. *Composite Materials Research*, 47(1), 14–25.
- Meilina, S., Hartono, D., & Kusuma, I. (2024). Mechanical interlocking at *filler*–matrix interfaces: implications for composite strength. *Materials Today: Proceedings*, 52, 1221–1228.
- Nagaraja S, Anand PB, H D S, Ammarullah MI. Influence of *Fly Ash filler* on the mechanical properties and water absorption behaviour of epoxy polymer composites reinforced with pineapple leaf fibre for biomedical applications. *RSC Adv.* 2024 May 3;14(21):14680-14696.
- Nasir, N. H. M., Usman, F., Woen, E. L., Ansari, M. N. M., Supian, A. B. M., & Saloma, S. (2023). *Microstructural and thermal behaviour of composite material from recycled polyethylene terephthalate and Fly Ash*. *Recycling*, 8(1), 11.
- Nasution, A., et al. (2018). Komposit berbasis *filler* anorganik untuk industri otomotif. *Jurnal Sains dan Teknologi Material*, 11(1), 42–49.
- Nayiroh, N. (2013). Pengaruh jenis *filler* terhadap sifat komposit berbasis *polyester*. *Jurnal Teknologi Bahan*, 7(2), 37–44.
- Nurhafid, A., et al. (2017). Pengujian impak material komposit menggunakan metode Charpy dan Izod. *Jurnal Teknik Mesin*, 15(2), 65–72.
- Nurazzi, N. M., Sabaruddin, F. A., Harussani, M. M., Kamarudin, S. H., Rayung, M., Asyraf, M. R. M., Aisyah, H. A., Norrrahim, M. N. F., Ilyas, R. A., Abdullah, N., Zainudin, E. S., Sapuan, S. M., & Khalina, A. (2021). Mechanical Performance and Applications of CNTs Reinforced Polymer Composites-A Review. *Nanomaterials (Basel, Switzerland)*, 11(9), 2186.

- Patsidis, A. C., & Souliotis, M. (2023). End-of-use *Fly Ash* as an effective reinforcing *filler* in green polymer composites. *Polymers*, 15(16), 3418.
- Paundra, D., et al. (2022). *Void* pada komposit dan pengaruhnya terhadap kekuatan tarik. *Jurnal Teknologi dan Rekayasa*, 9(3), 110–118.
- Perkins, W. G. (1999). Polymer toughness and impact resistance. *Polymer Engineering & Science*, 39(12), 2445–2460. Portico.
- Pickering, K. L., Efendy, M. G. A., & Le, T. M. (2016). A review of recent developments in natural fibre composites and their mechanical performance. *Composites Part A: Applied Science and Manufacturing*, 83, 98–112.
- Pramaningtyas, W. E., Alfanda, B. D., Wulandari, K. D., & Santoso, B. (2022). Studi penambahan *Fly Ash* pada komposit natural fiber reinforced boat. *Jurnal Inovtek Polbeng*, 12(2), 194. ISSN: 2088-6225, e-ISSN: 2580-2798
- Pranoto, P., Nugroho, S., & Hadi, S. (2019). Activation and characterization of andisol soil and *Fly Ash* composite in adsorption of lead (II) metal ion. *Journal of Physics: Conference Series*, 1295, 012012.
- Prayoga, A., & Alfa, R. (2023). Dampak ekonomi pemanfaatan *Fly Ash* di PLTU Tanjung Jati B. *Jurnal Ekonomi Energi dan Lingkungan*, 6(2), 33–41.
- Puertas, F., Fernández-Jiménez, A., & Blanco-Varela, M. T. (2004). Pore solution in alkali-activated slag cement pastes. Relation to the composition and structure of calcium silicate hydrate. *Cement and Concrete Research*, 34(1), 139–148.
- Rabbi, M. S., Rahman, T., Roshid, M. M., & Siddiqui, M. A. S. (2024). Influence of chemical treatment of *Fly Ash* on mechanical, thermal, and water absorption characteristics of PS/SBC nanocomposite. *SPE Polymers*, 5(4), 663–679.
- Rabbi, M. S., Rahman, T., Roshid, M. M., & Siddiqui, M. A. S. (2024). Influence of chemical treatment of *Fly Ash* on mechanical, thermal, and water absorption characteristics of PS/SBC nanocomposite. *SPE Polymers*, 5(4), 663–679
- Rahman, F., Mulianti, M., Rifelino, R., & Abadi, Z. (2025). Karakteristik sifat mekanik komposit serat bambu dan serabut kelapa sebagai material *bumper* mobil. *Jurnal Pendidikan Tambusai*, 9(1), 2942–2952.
- Ramin, M., et al. (2023). Impact testing of composite *bumper* materials: Analysis and results. *International Journal of Mechanical Testing*, 18(4), 213–221.
- Rasyidin, M., et al. (2018). Pemanfaatan *Fly Ash* dalam komposit serat bambu dengan resin *polyester*-styrofoam. *Jurnal Teknologi Komposit*, 4(2), 89–96.
- Saputra, D., et al. (2022). Analisis *void* dalam komposit *polyester* berbasis *filler* alami. *Jurnal Teknik Material dan Energi*, 10(1), 52–60.

- Senggottaiyan, S., et al. (2024). *Fly Ash* as reinforcement in polymer composites: A review. *Materials Today: Proceedings*, 71, 191–200.
- Sim, J., Kang, Y., Kim, B. J., Park, Y. H., & Lee, Y. C. (2020). Preparation of *Fly Ash*/epoxy composites and its effects on mechanical properties. *Polymers*, 12(1), 79.
- Solikin, M. (2021). Analysis of 1:1 *Fly Ash* type F and slag combination in geopolymer concrete using Na_2SiO_3 and NaOH as alkaline activator: A literature study. *Dinamika Teknik Sipil: Majalah Ilmiah Teknik Sipil*, 14(1), 13–20.
- Somna, K., Jaturapitakkul, C., Kajitvichyanukul, P., & Chindaprasirt, P. (2011). NaOH -activated ground *Fly Ash* geopolymer cured at ambient temperature. *Fuel*, 90(6), 2118–2124.
- Subekti, H. A. D., & Firmansyah, H. I. (2024). Pengaruh panjang serat terhadap kekuatan tarik fiber metal laminate composite. *Mars: Jurnal Teknik Mesin, Industri, Elektro dan Ilmu Komputer*, 2(5), 54–64.
- Sugianto, W. A. (2022). Utilization of *Fly Ash* and natural lime as a cement replacement on characteristics of cellular lightweight concrete bricks (CLC), Program Studi Teknik Sipil, Fakultas Teknik Sipil dan Perencanaan, Universitas Islam Indonesia, Yogyakarta.
- Sugiman, & Setyawan, D. (2013). Pengaruh perlakuan alkali terhadap *Fly Ash* sebagai penguat komposit. *Jurnal Polimer*, 8(1), 19–25.
- Sugiman, & Setyawan, P. D. (2013). Surface treatment of *Fly Ash* for improving the tensile strength of *Fly Ash*/unsaturated *polyester* composites. *Makara Seri Teknologi*, 17(3), 128–134.
- Suprayogi, A., Permana, I., & Setiajit, S. B. (2025). Gaya tarik maksimal komposit GFRP dengan metode hand lay-up pada variasi ketebalan. *Jurnal Teknologi Rekayasa Elektro, Material dan Manufaktur*, 26, 1–8.
- Surianti, S., & Agus, I. (2020). Analisis pengaruh *Fly Ash* sebagai *filler* pada campuran hot mix asphalt untuk lapis perkerasan AC-base. *Jurnal Media Inovasi Teknik Sipil Unidayan*, 9(2), 83–88.
- Suripto, H., et al. (2024). Karakterisasi dan pemanfaatan *Fly Ash* untuk bahan konstruksi dan komposit. *Jurnal Teknologi Mineral dan Batubara*, 13(2), 87–96.
- Sutrisno, T. A., Cahyono, N. D., Widi, K. A., Rahmadianto, F., Febritasari, R., & Pohan, G. A. (2023). Analisa Pengaruh Variasi Penambahan *Fly Ash* Terhadap Kekuatan Impact Pada Material Komposit Resin *Polyester* Berpenguat Serat Kulit Jagung. *JOURNAL OF MECHANICAL ENGINEERING MANUFACTURES MATERIALS AND ENERGY*, 7(1), 27–35.

<https://doi.org/10.31289/jmemme.v7i1.7553>

- Triyono. (2019). Penerapan metode hand lay-up dalam pembuatan material komposit. *Jurnal Teknik Manufaktur*, 6(2), 24–30.
- Unnthorsson, R., et al. (2014). Debonding phenomena in polymer-based composites. *Journal of Adhesion Science and Technology*, 28(17), 1657–1671.
- Verma, P., Singh, R., & Kumar, A. (2022). Role of interfacial adhesion in stress transfer in composite materials. *Journal of Composite Materials*, 56(8), 1023–1035.
- Yang, L., et al. (2019). Physical and chemical characteristics of coal *Fly Ash*: Particle size effects. *Journal of Hazardous Materials*, 377, 493–502.
- Yutong, Z. (2022). Analysis of failure modes in fiber-reinforced composites. *Advanced Composites and Hybrid Materials*, 5(4), 276–288.
- Zhuang, X. Y., Chen, L., Komarneni, S., Zhou, C. H., Tong, D. S., Yang, H. M., & Yu, W. H. (2016). *Fly Ash*-based geopolymer: clean production, properties and applications. *Journal of Cleaner Production*, 125, 253–267.
- Zulkifli, Dharmawan, I. B., & Anhar, W. (2020). Analisa pengaruh perlakuan kimia pada serat terhadap kekuatan impak charpy komposit serat sabut kelapa bermatriks epoxy. *Jurnal Polimesin*, 18(1), 47–52.