

DAFTAR PUSTAKA

- Abdel-Wahab, A.A., Ataya, S. and Silberschmidt, V. V. (2017) 'Temperature-dependent mechanical behaviour of PMMA: Experimental analysis and modelling', *Polymer Testing*, 58, pp. 86–95. Available at: <https://doi.org/10.1016/j.polymertesting.2016.12.016>.
- Abouel-Kasem, A. et al. (2010) 'Design and performance of slurry erosion tester', *Journal of Tribology*, 132(2), pp. 1–10. Available at: <https://doi.org/10.1115/1.4001449>.
- Acar, D., Danesh, M.H. and Cora, Ö.N. (2023) 'Effect of Process Parameters on the Solid Particle Erosion Resistance of Transparent Materials', *Tribology in Industry*, 45(4), pp. 604–617. Available at: <https://doi.org/10.24874/ti.1495.06.23.08>.
- Agustina, D.A., Kosjoko and Mufarida, N.A. (2025) 'Pengaruh Variasi Jenis Pelarut Dan Jenis Cat Sebagai Inhibitor Korosi Terhadap Laju Korosi Baja Astm A36', *JURITEK: Jurnal Ilmiah Teknik Mesin, Elektro dan Komputer*, 6(1), pp. 124–136. Available at: <https://doi.org/10.51903/juritek.v6i1.6521>.
- Akyuwen, F., Nanlohy, P. and Silahooy, S. (2025) 'Analisis Mekanisme Korosi Pada Stainless Steel (Ss 304) Dengan Coating Cat Agatha Paint Pada Larutan Salinitas Tinggi', 11(1), pp. 7–12.
- Aldahash, S.A., Abdelaal, O. and Abdelrhman, Y. (2020) 'Slurry Erosion – Corrosion Characteristics of As-Built Ti-6Al-4V Manufactured by Selective Laser Melting', *Materials*, 13(18), p. 3967. Available at: <https://doi.org/10.3390/ma13183967>.
- Alfattah, M. and Gusti Ayu Arwati, I. (2022) 'Analisis laju korosi logam stainless steel 316L di media air laut menggunakan metode elektrokimia', *Journal of New Energies and Manufacturing (JONEM)*, 1(2), pp. 29–35.

- Ali, U., Karim, K.J.B.A. and Buang, N.A. (2015) 'A Review of the Properties and Applications of Poly (Methyl Methacrylate) (PMMA)', *Polymer Reviews*, 55(4), pp. 678–705. Available at: <https://doi.org/10.1080/15583724.2015.1031377>.
- Andrews, N. et al. (2014) 'Effect of impact Angle on the slurry erosion-corrosion of Stellite 6 and SS316', *Wear*, 319(211–221). Available at: <https://doi.org/10.1016/j.wear.2014.08.006>.
- Aribo, S. et al. (2018) 'Erosion-corrosion behaviour of dual phase medium carbon steel using a designed slurry pot', *Tribology in Industry*, 40(2), pp. 239–246. Available at: <https://doi.org/10.24874/ti.2018.40.02.07>.
- ASTM, I. (2008) 'Standard Practice for Classifying Visual Defects in Glass-Reinforced Plastic Laminate Parts ASTM D2563 (2008)'. West Conshohocken, PA: ASTM International.
- ASTM, I. (2021) ASTM G119-09: Standard Guide for Determining Synergism Between Wear and Corrosion, ASTM International. Available at: <https://doi.org/10.1520/G0119-09R21.2>.
- Awaja, F. et al. (2016) 'Cracks, microcracks and fracture in polymer structures: Formation, detection, autonomic repair', *Progress in Materials Science*, 83, pp. 536–573. Available at: <https://doi.org/10.1016/j.pmatsci.2016.07.007>.
- Azarian, N.S., Ghasemi, H.M. and Monshi, M.R. (2015) 'Synergistic Erosion and Corrosion Behavior of AA5052 Aluminum Alloy in 3.5 wt% NaCl Solution Under Various Impingement Angles', *Journal of Bio- and Tribo-Corrosion*, 1(2), pp. 3–9. Available at: <https://doi.org/10.1007/s40735-015-0010-3>.
- Azwar, Y. (2010) 'Modul Ajar Korosi Logam', pp. 847–852.
- Baghel, Y.K. and Patel, V.K.P. (2023) 'Influence of Hardness and Grain Size of the SS431 Material on the Slurry Erosion Wear through the Pot Tester at Higher Slurry Concentrations', *Journal of Materials Engineering and Performance*

(preprint/research article version), pp. 1–28. Available at: <https://doi.org/10.21203/rs.3.rs-3344658/v1>.

Biswas, P.K. et al. (1999) ‘Effect of some design parameters on the suspension characteristics of a mechanically agitated sand-water slurry system’, *Materials and Design*, 20(5), pp. 253–265. Available at: [https://doi.org/10.1016/s0261-3069\(98\)00036-3](https://doi.org/10.1016/s0261-3069(98)00036-3).

Buszko, M.H. and Krella, A.K. (2017) ‘Slurry Erosion – Design of Test Devices’, *Advances in Materials Science*, 17(2), pp. 5–17. Available at: <https://doi.org/10.1515/adms-2017-0007>.

Cai, F. et al. (2011) ‘Corrosion behaviour of as deposited and PMMA treated TiN coating systems deposited by cathodic arc technique’, *Corrosion Engineering Science and Technology*, 46(4), pp. 368–374. Available at: <https://doi.org/10.1179/147842209X12489567719626>.

Cao, B. et al. (2023) ‘The Fabrication of High-Hardness and Transparent PMMA-Based Composites by an Interface Engineering Strategy’, *Molecules*, 28(1), p. 304. Available at: <https://doi.org/10.3390/molecules28010304>.

Charles, R. et al. (2021) ‘Role of the Jet Angle, Particle Size, and Particle Concentration in the Degradation Behavior of Carbon Steel under Slow Slurry Erosion-Corrosion Conditions’, *Metals*, 11(8), p. 1152. Available at: <https://doi.org/10.3390/met11081152>.

Chusni, M.M., Rizaldi, M.F. and Nurlaela, S. (2018) ‘Penentuan momen inersia benda silinder pejal dengan integral dan tracker’, *Jurnal Pendidikan Fisika dan Keilmuan*, 4(1), pp. 42–47. Available at: <https://doi.org/10.2572/jpfk.v4i1.2068>.

Corleto, C.R. and Hoerner, M. (2022) ‘Corrosion and Remaining Life Assessment’, *Journal of Failure Analysis and Prevention*, 22(1), pp. 181–190. Available at: <https://doi.org/10.1007/s11668-021-01331-3>.

- Demir, M.M. et al. (2006) 'PMMA/zinc oxide nanocomposites prepared by in-situ bulk polymerization', *Macromolecular Rapid Communications*, 27(10), pp. 763–770. Available at: <https://doi.org/10.1002/marc.200500870>.
- Desale, G.R., Gandhi, B.K. and Jain, S.C. (2011) 'Development of Correlations for Predicting the Slurry Erosion of Ductile Materials', *Journal of Fluids Engineering*, 133(July), pp. 1–10. Available at: <https://doi.org/10.1115/1.4004342>.
- El-Maidany, T. et al. (2016) 'Effect of Material Type, Impact Angle and Specimen Shape on Erosion Process', *Mansoura Engineering Journal (MEJ)*, 41(2), pp. 1–8.
- Elemuren, R. et al. (2018) 'Erosion-Corrosion of 90° Carbon Steel Elbow in Potash Brine-Sand Slurries', *Metallurgical and Materials Transactions E*, 2018, pp. 1381–1388. Available at: <https://doi.org/10.7449/2018/MST>.
- Eriks (2006e) 'Acrylic: Resistance to Chemical Agents', p. 8. Available at: www.solutions-in-plastics.info.
- Fan, G. et al. (2024) 'Experimental Study on the Erosion–Corrosion Characteristics of Desulfurization Slurry on Stainless Steel Pipe Materials', *ACS Omega*, 9, pp. 7132–7142. Available at: <https://doi.org/10.1021/acsomega.3c09065>.
- Fawaid, M. et al. (2012) 'Karakteristik Aisi 304 Sebagai Material Friction Welding', *Jurusan Teknik Mesin Universitas Diponegoro Email*., 3, pp. 29–33.
- Feijoo, M.M. et al. (2022) 'Impact of Sample Geometry and Surface Finish on VM12-SHC Ferritic–Martensitic Steel Under Cyclic Steam Oxidation', *Oxidation of Metals*, 97(1–2), pp. 1–18. Available at: <https://doi.org/10.1007/s11085-022-10114-6>.
- Gadhikar, A.A. et al. (2011) 'Fabrication and testing of slurry pot erosion tester', *Transactions of the Indian Institute of Metals*, 64(4–5), pp. 493–500. Available at: <https://doi.org/10.1007/s12666-011-0075-8>.

- Getu, H. et al. (2007) 'Abrasive jet micromachining of polymethylmethacrylate', *Wear*, 263(7-12 SPEC. ISS.), pp. 1008–1015. Available at: <https://doi.org/10.1016/j.wear.2007.01.063>.
- Giourntas, L., Hodgkiess, T. and Galloway, A.M. (2015) 'Comparative study of erosion-corrosion performance on a range of stainless steels', pp. 1–18.
- Gomez, F.J., Eices, M. and Valiente, A. (2000) 'Cracking in PMMA containing U-shaped notches', *Fatigue & Fracture of Engineering Materials & Structures*, 23(10), pp. 795–803.
- Goyal, D.K. et al. (2012) 'Slurry erosive wear evaluation of HVOF-spray Cr₂O₃ coating on some turbine steels', *Journal of Thermal Spray Technology*, 21(5), pp. 838–851. Available at: <https://doi.org/10.1007/s11666-012-9795-5>.
- Guma, T. et al. (2025) 'Erosion-Corrosion: An Up-To-Date Review of Origin, Impacts, Affecting Factors, Occurrence Areas, Experimental Measuring Devices, and Research Advances', *International Journal of Latest Technology in Engineering Management & Applied Science*, 13(12), pp. 136–171. Available at: <https://doi.org/10.51583/ijltemas.2024.131212>.
- Güner, M. and Özbayer, M.M. (2019) 'Wear and its effects in centrifugal pumps', *Yuzuncu Yil University Journal of Agricultural Sciences*, 29(3), pp. 569–582. Available at: <https://doi.org/10.29133/yyutbd.518139>.
- Hamouda, A.M.S. (2002) 'The Influence of Humidity on the Deformation and Fracture Behaviour of PMMA', *Journal of Materials Processing Technology*, 124, pp. 238–243.
- Hijrahanisa (2024) 'Analisis Laju Korosi Pada Seng Menggunakan Metode Weight Loss Pada Media Air Asin', *Jurnal Fisika dan Terapan*, 6(2), pp. 45–49. Available at: <https://ejurnalunsam.id/index.php/jh/article/view/11047/5189>.
- Ige, O. et al. (2011) 'Erosion Corrosion in the Oil and Gas Industry: A Review', *Ife Journal of Technology*, 20(1), pp. 56–67.

International Organization for Standardization (2018) BS ISO 31000:2018 Risk Management – Guidelines. International Organization for Standardization.

Javaheri, V., Porter, D. and Kuokkala, V.T. (2018) ‘Slurry erosion of steel – Review of tests, mechanisms and materials’, *Wear*, 408–409(May), pp. 248–273. Available at: <https://doi.org/10.1016/j.wear.2018.05.010>.

Jha, A.K. et al. (2010) ‘Effect of Impinging Angle and Rotating Speed on Erosion Behavior of Aluminum’, *Transactions of Nonferrous Metals Society of China*, 21(1), pp. 32–38. Available at: [https://doi.org/10.1016/S1003-6326\(11\)60674-2](https://doi.org/10.1016/S1003-6326(11)60674-2).

Ji, X. et al. (2013) ‘Erosion-corrosion behavior of electrodeposited amorphous Ni-W-P coating in saline-sand slurry’, *Corrosion*, 69(6), pp. 593–600. Available at: <https://doi.org/10.5006/0755>.

JUNO Collaboration (2015) JUNO Conceptual Design Report.

Khamme, E. and Sakdanuphab, R. (2023) ‘Study of Corrosion Properties of Carbon Steel, 304 and 316L Stainless Steels in Sulfuric Acid and Their Degradation Products’, *Journal of Metals, Materials and Minerals*, 33(4), pp. 1–7. Available at: <https://doi.org/10.55713/jmmm.v33i4.1672>.

Khan, R., Ya, H.H. and Pao, W. (2019) ‘An Experimental Study on the Erosion-Corrosion Performance of AISI 1018 Carbon Steel and AISI 304L Stainless Steel’, *Metals*, 9(11), p. 1260. Available at: <https://doi.org/10.3390/met9111260>.

Kumar, G.S.P. et al. (2021) ‘Investigations on Slurry Erosive on Wear Performance of HVOF-Sprayed Cr₂O₃ Coatings on Aluminum Alloy’, *Journal of Bio- and Tribo-Corrosion*, 7(3), pp. 1–20. Available at: <https://doi.org/10.1007/s40735-021-00543-2>.

Lathabai, S. and Pender, D.C. (1995) ‘Microstructural influence in slurry erosion of ceramics’, *Wear*, 189(1–2), pp. 122–135. Available at: [https://doi.org/10.1016/0043-1648\(95\)06679-9](https://doi.org/10.1016/0043-1648(95)06679-9).

- Li, P., Zhao, Y. and Wang, L. (2019) 'Research on Erosion-Corrosion Rate of 304 Stainless Steel in Acidic Slurry via Experimental Design Method', *Materials*, 12(14), p. 2330. Available at: <https://doi.org/10.3390/ma12142330>.
- Ling, S.J., Sanny, J. and Moebs, W. (2021) *University Physics Volume 1*. OpenStax.
- López, D. et al. (2005) 'Effect of particle velocity and impact angle on the corrosion-erosion of AISI 304 and AISI 420 stainless steels', *Wear*, 259(1–6), pp. 118–124. Available at: <https://doi.org/10.1016/j.wear.2005.02.032>.
- Madsen, B.W. (1988) 'Measurement of Erosion-Corrosion Synergism with a Slurry Wear Test Apparatus', *Wear*, 123, pp. 127–142.
- Maekai, I.A. and Harmain, G.A. (2019) 'Effect of sediment concentration and particle size on erosion behavior of forged stainless steel', *Materials Today: Proceedings*, 26(xxxx), pp. 1412–1417. Available at: <https://doi.org/10.1016/j.matpr.2020.02.293>.
- Maher, M. et al. (2021) 'The synergistic effect of wear-corrosion in stainless steels: A review', *Materials Today: Proceedings*, 51(xxxx), pp. 1975–1990. Available at: <https://doi.org/10.1016/j.matpr.2021.05.010>.
- Maitimu Cindy Gabriel et al. (2024) 'Analisa Laju Korosi Pipa Sch 40 Seamless Dengan Variasi Media Pengkorosian Air Payau Dan Air Laut', *Journal Mechanical Engineering (JME)*, 2(2), p. 2024.
- Mäkinen, T. et al. (2026) 'Elastic Softening and Fracture in Randomly Perforated Solids', *arXiv*, pp. 1–11. Available at: <https://arxiv.org/abs/2604.01858>.
- Malaret, F. (2022) 'Exact calculation of corrosion rates by the weight-loss method', *Experimental Results*, 3(e13), pp. 1–12. Available at: <https://doi.org/10.1017/exp.2022.5>.

- Manuputty, G.P., Azis, A.A. and Pratami, N.A.N. (2022) 'Analisis Manajemen Risiko Berbasis ISO 31000 Pada Aspek Operasional Teknologi Informasi', PT. Schlumberger Geophysics Nusantara [Preprint].
- Manurung, V.A., Wibowo, Y.T.J. and Baskoro, S.Y. (2020) Panduan Metalografi. Cetakan Pertama.
- Maya-Cornejo, J. et al. (2019) 'Electrochemical Study of a Hybrid Polymethyl Methacrylate Coating using SiO₂ Nanoparticles toward the Mitigation of the Corrosion in Marine Environments', *Materials*, 12(19). Available at: <https://doi.org/10.3390/ma12193216>.
- Mohammed, K.A. (2025) 'Particle velocity effects on erosion-corrosion of AISI 1020 carbon steel in CO₂-saturated drilling mud', *Journal of Electrochemical Science and Engineering*, 15(6), pp. 1–14. Available at: <https://doi.org/10.5599/jese.2957>.
- More, S.R., Bhatt, D. V. and Menghani, J. V. (2017) 'Study of the parametric performance of solid particle erosion wear under the slurry pot test rig', *Tribology in Industry*, 39(4), pp. 471–481. Available at: <https://doi.org/10.24874/ti.2017.39.04.06>.
- Muharram, T. (2026) 'Analisis Perbandingan Momen Inersia pada Benda Tegar: Studi Kasus Silinder Pejal dan Silinder Berongga'. Available at: timmymuhammad@students.polmed.ac.id.
- Neville, A., Reyes, M. and Xu, H. (2002) 'Examining corrosion effects and corrosion/erosion interactions on metallic materials in aqueous slurries', *Tribology International*, 35(10), pp. 643–650. Available at: [https://doi.org/10.1016/S0301-679X\(02\)00055-5](https://doi.org/10.1016/S0301-679X(02)00055-5).
- Ng, S.K. et al. (2018) 'Environmental effects in biaxially orientated Polymethyl Methacrylate', *Procedia Structural Integrity*, 13, pp. 304–310. Available at: <https://doi.org/10.1016/j.prostr.2018.12.051>.

- Ojala, N. et al. (2015) 'High speed slurry-pot erosion wear testing with large abrasive particles', *Finnish Journal of Tribology*, 33(1), pp. 36–44.
- Olsson, C.O.A. and Landolt, D. (2003) 'Passive films on stainless steels—chemistry, structure and growth', *Electrochimica Acta*, 48, pp. 1093–1104. Available at: [https://doi.org/10.1016/S0013-4686\(02\)00841-1](https://doi.org/10.1016/S0013-4686(02)00841-1).
- Pahl, G. et al. (2007) *Engineering Design: A Systematic Approach*. 3rd edn. Edited by K. Wallace and L. Blessing. London: Springer London. Available at: <https://doi.org/10.1007/978-1-84628-319-2>.
- Parancheerivilakkathil, M.S. et al. (2022) 'Flow Velocity and Sand Loading Effect on Erosion–Corrosion During Liquid-Solid Impingement on Mild Steel', *Applied Sciences*, 12, pp. 1–14. Available at: <https://doi.org/10.3390/app12052530>.
- Pokharel, N. et al. (2022) 'Wear in centrifugal pumps with causes, effects and remedies: A Review', *IOP Conference Series: Earth and Environmental Science*, 1037(1). Available at: <https://doi.org/10.1088/1755-1315/1037/1/012042>.
- Poweleit, D., Monroe, R. and Richards, V. (1870) 'Utilizing NDE Methods for Steel Casting Performance'.
- Pratikno, H., Hapsari, F.W. and Dhanista, W.L. (2021) 'Analysis of the Effect of Abrasive Material and Polyurethane Coating Thickness Variations on ASTM A36 Steel Towards Corrosion Rate in Sea Water Environment', *International Journal of Offshore and Coastal Engineering*, 5(1), p. 10. Available at: <https://doi.org/10.12962/j2580-0914.v4i3.9953>.
- Prozhega, M. V. et al. (2014) 'Experimental study of erosion–corrosion wear of materials: A review', *Journal of Friction and Wear*, 35(2), pp. 155–160. Available at: <https://doi.org/10.3103/S1068366614020111>.

- Purnawati, R., Jokosisworo, S. and Yudo, H. (2020) 'Pengaruh Salinitas Air Laut Terhadap Laju Korosi Baja SS 400 pada Kapal', *Jurnal Teknik Perkapalan*, 8(2), pp. 175–181.
- Rahmadtulloh, I. (2021) 'Studi Pengamatan Pitting Korosi 304 Stainless Steel Pada Jalur Gesek Setelah Uji Tribocorrosion', *Jurnal ArTASip*, 003(002), pp. 241–272. Available at: <https://doi.org/10.1002/9781119185161.ch12>.
- Rajahram, S.S., Harvey, T.J. and Wood, R.J.K. (2011) 'Electrochemical investigation of erosion-corrosion using a slurry pot erosion tester', *Tribology International*, 44(3), pp. 232–240. Available at: <https://doi.org/10.1016/j.triboint.2010.10.008>.
- Roylance, D. (2001) *Mechanics of Materials*. Cambridge, MA: Massachusetts Institute of Technology (MIT).
- Said, L. Ben et al. (2024) 'Damage Investigation in PMMA Polymer: Experimental and Phase-Field Approaches', *Polymer*, 16(3304), pp. 1–16. Available at: <https://doi.org/10.3390/polym16233304>.
- Salehikahrizangi, P. et al. (2021) 'Effects of surface morphology on erosion–corrosion and corrosion resistance of highly hydrophobic nickel-tungsten electrodeposited film', *Coatings*, 11(9), pp. 1–13. Available at: <https://doi.org/10.3390/coatings11091084>.
- Sánchez-González, E. et al. (2023) 'Chipping of ceramic-based dental materials by micrometric particles', *Journal of the American Ceramic Society*, 106, pp. 1309–1320. Available at: <https://doi.org/10.1111/jace.18825>.
- Sekar, A. and Bennet, A.R. (2023) 'A comprehensive review on synergistic and individual effects of erosion-corrosion in ferrous piping materials', *Corrosion Reviews*, 41(4), pp. 399–416. Available at: <https://doi.org/10.1515/correv-2022-0063>.

- Sharma, R.N. and Shaikh, A.A. (2003) 'Solids suspension in stirred tanks with pitched blade turbines', *Chemical Engineering Science*, 58(10), pp. 2123–2140. Available at: [https://doi.org/10.1016/S0009-2509\(03\)00023-X](https://doi.org/10.1016/S0009-2509(03)00023-X).
- Shehadeh, M. et al. (2014) 'Experimental investigation of erosion-corrosion phenomena in a steel fitting due to plain and slurry seawater flow', *International Journal of Mechanical and Materials Engineering*, 9(22), pp. 1–8. Available at: <http://www.springer.com/40712/content/9/1/22>.
- Shrestha, R. et al. (2024) 'Review on experimental investigation of sediment erosion in hydraulic turbines', *Frontiers in Mechanical Engineering*, 10(December). Available at: <https://doi.org/10.3389/fmech.2024.1526120>.
- Singh, J., Singh, S. and Pal Singh, J. (2021) 'Investigation on wall thickness reduction of hydropower pipeline underwent to erosion-corrosion process', *Engineering Failure Analysis*, 127(March), p. 105504. Available at: <https://doi.org/10.1016/j.engfailanal.2021.105504>.
- Singh, V., Yadav, V.S. and Trivedi, V. (2023) 'Experimental and Numerical Analysis of Slurry Pot Tester by Response Surface Methodology (RSM) and Computational Fluid Dynamics (CFD)', *Evergreen*, 10(2), pp. 931–941. Available at: <https://doi.org/10.5109/6792888>.
- Sugeng M, Ismail F.M. and U.J. (2022) 'Analisis Perbedaan Laju Korosi Hasil Pengujian Weight Loss Dan Polarisasi Pada Pipa Dengan Pengujian Korosi Standar ASTM G59 Dan ASTM G31', *Jurnal Tera*, 2(1), pp. 48–56. Available at: <http://jurnal.undira.ac.id/index.php/jurnaltera>.
- Syaiful, A.Z., Tang, M. and Kada, J.D.R.B. (2022) 'Analisis Laju Korosi Dan Lifetime Material Stainless Steel'.
- Tang, Z., Fujimoto, K. and Okazaki, S. (2021) 'A comparison of the brittle PMMA with the ductile PC on the elasticity and yielding from a molecular dynamics perspective', *Polymer*, 226(January), p. 123809. Available at: <https://doi.org/10.1016/j.polymer.2021.123809>.

- Thakur, P.A. et al. (2015) 'Development of Slurry Jet Erosion Tester to Simulate the Erosion Wear due to Solid-Liquid Mixture', *International Journal of Novel Research in Engineering and Science*, 2(1), pp. 14–20.
- Ting, X. et al. (2013) 'Study on the erosion wear behaviors of the PMMA plates impacted by air flow containing sands', *Advanced Materials Research*, 631–632, pp. 366–370. Available at: <https://doi.org/10.4028/www.scientific.net/AMR.631-632.366>.
- Toor, I.U., Irshad, H.M. and Samad, M.A. (2018) 'The Effect of Impingement Velocity and Angle Variation on the Erosion Corrosion Performance of API 5L-X65 Carbon Steel in a Flow Loop', *Metals*, 8(402), pp. 1–15. Available at: <https://doi.org/10.3390/met8060402>.
- Umartono, A.S. and Setiawan, D. (2020) 'Analisa Laju Korosi Material Stainless Steel Grade SS304 dan Alloy UNS N08020 Terhadap Asam Sulfat dan Natrium Hidroksida', *Jurnal Keilmuan dan Terapan Teknik*, 09(1), pp. 39–43.
- Usman, A.D., Victoria, A.F. and Okoro, L.N. (2015) 'Weight Loss Corrosion Study of Some Metals in Acid Medium', *Journal of Advances in Chemistry*, 11(2), pp. 2347–6893.
- Vyas, A. and Menghani, J. (2021) 'Recent advancement in slurry erosion test rigs and its parametric influences - A review', *AIP Conference Proceedings*, 2317(February). Available at: <https://doi.org/10.1063/5.0036148>.
- Wang, F. and Wang, M. (2020) 'Effect of Holes on Dynamic Crack Propagation under Impact Loading', *Applied Sciences*, 10(1122), pp. 1–18. Available at: <https://doi.org/10.3390/app10031122>.
- Win Khun, N. and Liu, E. (2024) 'Effect of ABS Content on Thermal Stability, Tensile Strength, Friction, and Wear of PMMA/ABS blends', *Journal of Materials and Engineering*, 2(3), pp. 220–228. Available at: <https://doi.org/10.61552/jme.2024.03.007>.

- Winarto, G.I., Wismawati, E. and Bisono, F. (2018) 'Pengaruh Laju Korosi Erosi Terhadap Lifetime Material Carbon Steel A53 Grade B, Stainless Steel 304, dan Stainless Steel 316 pada Aliran Weighed Juice Return Pipe di Industri Gula', Proceeding 3rd Conference of Piping Engineering and its Application, 3(Corrosion), pp. 157–162.
- Wood, R.J.K. (2006) 'Erosion-corrosion interactions and their effect on marine and offshore materials', *Wear*, 261(9), pp. 1012–1023. Available at: <https://doi.org/10.1016/j.wear.2006.03.033>.
- Xu, Y. et al. (2021) 'Flow accelerated corrosion and erosion–corrosion behavior of marine carbon steel in natural seawater', *npj Materials Degradation*, 5, p. 56. Available at: <https://doi.org/10.1038/s41529-021-00205-1>.
- Yadav, D. and Jaya, B.N. (2023) 'Size effects governing damage resistance of architected PMMA', *Engineering Fracture Mechanics*, 290, p. 109526. Available at: <https://doi.org/10.1016/j.engfracmech.2023.109526>.
- Yang, Y. and Cheng, Y.F. (2012) 'Parametric effects on the erosion–corrosion rate and mechanism of carbon steel pipes in oil sands slurry', *Wear*, 276–277, pp. 141–148. Available at: <https://doi.org/10.1016/j.wear.2011.12.010>.
- Yeh, S.L., Zhu, C.Y. and Kuo, S.W. (2015) 'Transparent heat-resistant PMMA copolymers for packing light-emitting diode materials', *Polymers*, 7(8), pp. 1379–1388. Available at: <https://doi.org/10.3390/polym7081379>.
- Yin, B. et al. (2023) 'Study of accelerated erosion of elbow-shaped connections with corrosion defects', *Journal of Petroleum Exploration and Production Technology*, 13, pp. 2303–2314. Available at: <https://doi.org/10.1007/s13202-023-01681-8>.
- Yuan, M., Huang, D. and Zhao, Y. (2022) 'Development of Synthesis and Application of High Molecular Weight Poly(Methyl Methacrylate)', *Polymer*, 13(13), p. 2632. Available at: <https://doi.org/10.3390/polym14132632>.

Zadeh, S.A. (2017) 'Introduction to Corrosion – Basics and Advances: Chapter Erosion-corrosion', 8(1), p. 13.

Zeng, L., Chen, G. and Chen, H. (2020) 'Comparative Study on Flow-Accelerated Corrosion and Erosion–Corrosion at a 90° Carbon Steel Bend', Materials, 13(8), p. 1780. Available at: <https://doi.org/10.3390/ma13081780>.

Zheng, Z.B. and Zheng, Y.G. (2016) 'Erosion-enhanced corrosion of stainless steel and carbon steel measured electrochemically under liquid and slurry impingement', Corrosion Science, 102, pp. 259–268. Available at: <https://doi.org/10.1016/j.corsci.2015.10.014>.

Zirak, N. et al. (2022) 'Toward polymeric and polymer composites impeller fabrication', Polymers, 14(1). Available at: <https://doi.org/10.3390/polym14010097>.

Zu, J.B., Hutchings, I.M. and Burstein, G.T. (1990) 'Design of a slurry erosion test rig', Wear, 140(2), pp. 331–344. Available at: [https://doi.org/10.1016/0043-1648\(90\)90093-P](https://doi.org/10.1016/0043-1648(90)90093-P).