

## DAFTAR PUSTAKA

- Amalini, Y.R. *et al.* (2025) “Morphological, molecular, and phytochemical characteristics of wild edible fern (*Diplazium esculentum*) from Jember, East Java, Indonesia,” *Biodiversitas*, 26(6), pp. 2794–2805. Available at: <https://doi.org/10.13057/biodiv/d260624>.
- Amaliyah, N., Lukmitarani, R. and Utami, B.N.P. (2025) “Perbedaan Bilangan Peroksida Minyak Goreng pada Penjual Gorengan di Tepi Jalan Raya Baturaden Tahun 2024,” *Buletin Kesehatan Lingkungan Masyarakat*, 44(3), pp. 214–219. Available at: <https://doi.org/10.31983/keslingmas.v44i3.13117>.
- Aning Ayucitra, Nani Indraswati, Viska Mulyandasari, Yulianus Kurniawan Dengi, Gideon Francisco, dan A.Y. (2013) “Potensi Senyawa Fenolik Bahan Alam Sebagai Antioksidan Alami Minyak Goreng Nabati,” *Widya Teknik*, 10(1), pp. 1–10. Available at: <http://jurnal.wima.ac.id/index.php/teknik/article/view/155>.
- Annas, Z.F., Muliasari, H. and Deccati, R.F. (2023) “Penentuan kadar flavonoid total ekstrak dan fraksi-fraksi daun mangrove ( *Avicennia* Determination of total flavonoid content of extract and fractions of mangrove leaves ( *Avicennia marina* ),” 10(3), pp. 271–282.
- Arrofiqi, M.R. *et al.* (2024) “Kajian Literatur: Aplikasi Sejumlah Metode Ekstraksi Konvensional Untuk Mengekstraksi Senyawa Fenolik Dari Bahan Alam,” 7(1).
- Artati *et al.* (2024) “Aktivitas Antioksidan Dari Tiga Fraksi Pelarut Ekstrak Daun Dandang Gendis (EDDG),” 15(2), pp. 132–139.
- Badan Standarisasi Nasional (2019) “Standarisasi Nasional Indonesia 7709-2019: Minyak goreng sawit,” *Sni 7709:2019*, pp. 1–28.
- Biswas, A. *et al.* (2023) “Ultrasound-assisted extraction (UAE) of antioxidant phenolics from *Corchorus olitorius* leaves: a response surface optimization,” *Chemical and Biological Technologies in Agriculture*, 10(1). Available at: <https://doi.org/10.1186/s40538-023-00443-2>.
- BPN (2024) “Jumlah Ketersediaan per Komoditas Pangan Nasional.”

- BPOM (2019) “Badan pengawas obat dan makanan republik indonesia.”
- Brahmi, F. *et al.* (2022) “Optimization of Conventional Extraction Parameters for Recovering Phenolic Compounds from Potato (*Solanum tuberosum* L.) Peels and Their Application as an Antioxidant in Yogurt Formulation,” *Antioxidants*, 11(7). Available at: <https://doi.org/10.3390/antiox11071401>.
- Budiyanto, A.B. and Arabiya, W.S. (2025) “Analisis Gugus Fungsi Serta Penetapan Kadar Total Flavonoid Dan Alkaloid Pada Ekstrak Pakis Merah (*Stenochlaena Palutris*),” *Jurnal Etnofarmasi*, 3(01), pp. 47–62. Available at: <https://doi.org/10.36232/jurnalfarmasiunimuda.v3i01.1987>.
- Cao, H. *et al.* (2017) *Phytochemicals from fern species: potential for medicine applications*, *Phytochemistry Reviews*. Springer Netherlands. Available at: <https://doi.org/10.1007/s11101-016-9488-7>.
- Chaudhuri, T.K. and Roy, S. (2020) “A comprehensive review on the pharmacological properties of *Diplazium esculentum*, an edible fern,” *Pharmaceutics and Pharmacology Research*, 3(1), pp. 01–09. Available at: <https://doi.org/10.31579/2693-7247/014>.
- Deng, J. *et al.* (2017) “Comparative evaluation of maceration and ultrasonic-assisted extraction of phenolic compounds from fresh olives,” *Ultrasonics Sonochemistry*, 37, pp. 328–334. Available at: <https://doi.org/10.1016/j.ultsonch.2017.01.023>.
- Devi, S. *et al.* (2024) “Quantitative analysis of flavonoids and phenolics extracted from *Diplazium esculentum* (Retz.) Sw. for their anti-hyperglycemic potential,” *Pharmacy Education*, 24(2), pp. 46–51. Available at: <https://doi.org/10.46542/pe.2024.242.4651>.
- Dhanani, T. *et al.* (2017) “Effect of extraction methods on yield, phytochemical constituents and antioxidant activity of *Withania somnifera*,” *Arabian Journal of Chemistry*, 10, pp. S1193–S1199. Available at: <https://doi.org/10.1016/j.arabjc.2013.02.015>.
- Dona, R., Furi, M. and Suryani, F. (2020) “Penentuan Kadar Total Fenolik , Total Flavonoid Dan Uji Aktivitas Antioksidan Dari Ekstrak Dan Fraksi Daun

- Karamunting ( *Rhodomyrtus tomentosa* ( Aiton ) Hassk ),” 9(2).
- Fardani, R.A. and Sopian, M. (2021) “Potensi penambahan ekstrak kubis ungu (*Brassica oleraceae*) sebagai antioksidan alami pada minyak goreng curah,” *Prosiding Webinar Nasional Pendidikan dan Sains Kimia*, 4, pp. 79–82.
- Firdausia, R.S. *et al.* (2025) “Optimasi Waktu Ekstraksi Dengan Metode Ultrasound Assisted Extraction (UAE) Terhadap Kandungan Senyawa Flavonoid dan Fenolik Daun Kayu Bulan (*Pisonia alba* Span.),” *Jurnal Mandala Pharmacon Indonesia*, 11(1), pp. 274–280. Available at: <https://doi.org/10.35311/jmpi.v11i1.715>.
- Fitriana, W.D., Fatmawati, S. and Ersam, T. (2015) “Uji Aktivitas Antioksidan terhadap DPPH dan ABTS dari Fraksi-fraksi,” *SNIP Bandung*, (Snips), p. 658.
- Francenia Santos-Sánchez, N. *et al.* (2019) “Antioxidant Compounds and Their Antioxidant Mechanism,” *Antioxidants*, pp. 1–28. Available at: <https://doi.org/10.5772/intechopen.85270>.
- Gajic, I.S. *et al.* (2019) “Optimization of ultrasound-assisted extraction of phenolic compounds from black locust (*Robinia pseudoacacia*) flowers and comparison with conventional methods,” *Antioxidants*, 8(8), pp. 1–14. Available at: <https://doi.org/10.3390/antiox8080248>.
- Hadi, S. and Subekti, A. (2023) “Uji Antioksidan dan Penetapan Flavonoid ( *Nephrolepis cordifolia* ( L ) C . Presl ),” 06(01), pp. 1–9.
- Hidayatullah, M., Rakhmatullah, A.N. and Perdana, D. (2023) “Penetapan Kadar Fenolik Total Dan Flavonoid Total Ekstrak Etanol Batang Bajakah Tampala ( *Spatholobus littoralis* Hassk .),” 6(2), pp. 41–52.
- Ikhsan, Sari, K. and Sari, I. (2025) “Artikel Review: Aplikasi Penggunaan Ultrasonik Pada Ekstraksi Antioksidan Pada Berbagai Simplicia Daun  
Review Article: Application of Ultrasonic Use in Antioxidant Extraction in Various Leaf Simplicia,” *Camellia Journal*, pp. 238–244. Available at: <http://journal.um-surabaya.ac.id/index.php/CAM>.
- Jesus, J.H.F. de *et al.* (2020) “Thermal behavior and polymorphism of the antioxidants : BHA , BHT and TBHQ,” *Fuel*, 278(June), pp. 1–11.

Available at: <https://doi.org/10.1016/j.fuel.2020.118298>.

- Desi, A. and Saputri, S. (2023) “Penetapan Kadar Fenolik Dan Flavonoid Fraksi Daun Insulin ( *Smallanthus Sonchifolius* ) Secara Spektrofotometri Uv-Vis,” 6(1).
- Julian, J.F., Sunardi, I. and Widyasaputra, R. (2020) “Efek perbedaan rasio bahan dengan pelarut terhadap karakteristik antioksidan beberapa jenis bajakah 1.”
- Kunkeaw, T. *et al.* (2021) “*Diplazium esculentum* (Retz.) Sw. reduces BACE-1 activities and amyloid peptides accumulation in *Drosophila* models of Alzheimer’s disease,” *Scientific Reports*, 11(1), pp. 1–11. Available at: <https://doi.org/10.1038/s41598-021-03142-w>.
- Legasari, L. *et al.* (2023) “Analisis Kadar Air Dan Asam Lemak Bebas Pada Produk Minyak Goreng Dengan Metode Gravimetri Dan Volumetri,” 6(2).
- Marchi, F., Laoh, P. and Gala, S. (2025) “Sawit Kemasan Terhadap Parameter Free Fatty Acid ( Ffa ) Dan Peroxide Value ( Pv ),” 6, pp. 61–73.
- Mariama, A.A., Mantali, M.F. and Salshabila, N. (2025) “Penetapan Kadar Flavonoid , Fenolik Total Dan Uji Aktivitas Antioksidan Daun Rumbia ( *Metroxylon Sagu Rottb* ) Menggunakan Spektrofotometer,” 9, pp. 6710–6719.
- Marmesat, S. *et al.* (2010) “Action and fate of natural and synthetic antioxidants during frying; Acción y destino de los antioxidantes naturales y sintéticos durante el proceso de fritura,” 61(4), pp. 333–340.
- Mohamed, I.A., Fahad, A. and Adisa, A.A.R. (2020) “Optimization of ultrasound-assisted extraction of phenolic compounds and antioxidant activity from Argel ( *Solenostemma argel* Hayne ) leaves using response surface methodology ( RSM ),” *Journal of Food Science and Technology*, 57(8), pp. 3071–3080. Available at: <https://doi.org/10.1007/s13197-020-04340-6>.
- Mohdaly, A.A.E.-R. *et al.* (2017) “Effect of Refining Process on the Quality Characteristics of Soybean and Cotton seed Oils,” *International Journal of Current Microbiology and Applied Sciences*, 6(1), pp. 207–222. Available at: <https://doi.org/10.20546/ijcmas.2017.601.026>.

- Monangin, S.M., Yudistira, A. and Rumondor, E.M. (2024) “Uji Aktivitas Antiosidan Ekstrak Etanol Spons Aaptos aaptos yang diperoleh dari Pantai Parentek Kabupaten Minahasa,” 13, pp. 580–585. Available at: <https://doi.org/10.35799/pha.13.2024.55063>.
- Muiz, H.A., Wulandari, S. and Primadiamanti, A. (2021) “ETHANOL EXTRACT AGAINST *Staphylococcus aureus* BY DISC DIFFUSION METHOD,” 6(2).
- Mustikaningrum, M. *et al.* (2026) “Penerapan Ultrasonic Assisted Extraction sebagai Teknologi Modern dalam Pelatihan Isolasi Minyak Atsiri Berbahan Dasar Kopi kepada Siswa Siswi SMK Yasmu Gresik,” 1(2), pp. 33–37.
- Nainggolan, R.M. *et al.* (2024) “Uji Aktivitas Antioksidan , Kadar Flavonoid , dan Fenolik Total Ekstrak dan Fraksi Daun Asam Jawa ( *Tamarindus indica* L .),” *Jurnal Mandala Pharmacon*, 10(2), pp. 397–410.
- Norhaslinda, E. *et al.* (2023) “Ekstraksi , Fraksinasi , Dan Uji Antioksidan Daun Pakis Sawit,” 13(2), pp. 18–27.
- Nur, S. *et al.* (2019) “Korelasi Antara Kadar Total Flavonoid dan Fenolik dari Ekstrak dan Fraksi Daun Jati Putih ( *Gmelina arborea* Roxb .) Terhadap Aktivitas Antioksidan,” 5(1), pp. 33–42. Available at: <https://doi.org/10.22487/j24428744.2019.v5.i1.12034>.
- Octaviana, N. and Parbuntari, H. (2025) “Effect of Sonication Extraction Method on Total Flavonoid Content of Bitter Melon Leaves (*Momordica charantia* L.),” 5(November 2025), pp. 2919–2928.
- Pawarti, N. *et al.* (2023) “Pengaruh Metode Ekstraksi Terhadap Persen Rendemen dan Kadar Fenolik Ekstrak Tanaman yang Berpotensi sebagai Antioksidan The Effect of Extraction Methods on Percent Yield and Phenolic Content of Plant Extracts Potentially as Antioxidants,” 13(April), pp. 590–593.
- Peng, W. *et al.* (2025) “Efficient polyphenol extraction from *Moringa oleifera* Lam . leaves using natural deep eutectic solvents : COSMO-RS screening , ANN-GA optimization and antioxidant activity evaluation,” *LWT*, 223(March), p. 117687. Available at:

<https://doi.org/10.1016/j.lwt.2025.117687>.

- Pratama, R.E., Winaryati, E. and Astuti, A.P. (2025) “Kualitas Minyak Goreng Ditinjau dari Bilangan Peroksida Berdasarkan Frekuensi Penggorengan dan Jenis Minyak,” 14(3), pp. 480–489.
- Pratama, V.Y. *et al.* (2023) “Karakterisasi simplisia dan identifikasi senyawa fitokimia ekstrak pakis sayur (*Diplazium escelentum* Swartz),” 1(1), pp. 1–8.
- Predescu, N.C. *et al.* (2016) “The Influence of Solid-to-Solvent Ratio and Extraction Method on Total Phenolic Content , Flavonoid Content and Antioxidant Properties of Some Ethanolic Plant Extracts,” (10).
- Ren, J. *et al.* (2025) “Exploring the Mechanisms of the Antioxidants BHA, BHT, and TBHQ in Hepatotoxicity, Nephrotoxicity, and Neurotoxicity from the Perspective of Network Toxicology,” *Foods*, 14(7). Available at: <https://doi.org/10.3390/foods14071095>.
- Rifkia, V. and Revina, R. (2023) “Pengaruh Variasi Bahan : Pelarut dan Lama Ekstraksi Ultrasonik dari Ekstrak Daun Kelor terhadap Rendemen dan Kadar Total Fenol Artikel Penelitian,” 15, pp. 94–100.
- Rismiyati *et al.* (2025) “Review: Metode-Metode Ekstraksi,” *Sci-Tech Journal*, 4, p. 17.
- Rohmah, J. (2022) “Antioxidant Activities Using Dpph, Fic, Frap, And Abts Methods From Ethanolic Extract Of Lempuyang Gajah Rhizome (*Zingiber zerumbet* (L.) Roscoeex Sm.),” *Jurnal Kimia Riset*, 7(2), pp. 152–166. Available at: <https://doi.org/10.20473/jkr.v7i2.34493>.
- Saadah, A., Martini, M. and Yuliawati, S. (2016) “Overview of Cooking Oil Used by Fried Seller in Semarang Tembalang,” *Jurnal Kesehatan Masyarakat Universitas Diponegoro*, 4(4), pp. 311–318.
- Saragih, M.H., Silaban, S. and Eddiyanto, E. (2023) “the Impact of Temperature and Antioxidants on Oxidation and the Formation of Trans Fatty Acids in Several Palm Oil Derivatives,” *al-Kimiya*, 10(2), pp. 74–86. Available at: <https://doi.org/10.15575/ak.v10i2.25256>.
- Selviana, A.P. *et al.* (2024) “Pengaruh Konsentrasi dan Volume Etanol Terhadap Rendemen Ekstrak Bunga Telang (*Clitoria ternatea* L.) Pada Metode

- Ekstraksi Maserasi,” 11, pp. 94–100.
- Semwal, P. *et al.* (2021) “Diplazium esculentum (Retz.) Sw.: Ethnomedicinal, Phytochemical, and Pharmacological Overview of the Himalayan Ferns,” *Oxidative Medicine and Cellular Longevity*, 2021. Available at: <https://doi.org/10.1155/2021/1917890>.
- Senet, M.R.M. *et al.* (2018) “Penentuan Kandungan Total Flavonoid Dan Total Fenol Dari Akar Kersen (*Muntingia Calabura*) Serta Aktivitasnya Sebagai Antioksidan,” *Jurnal Kimia*, 12(1), pp. 13–18.
- Shen, L. *et al.* (2023) “Ultrasonics Sonochemistry A comprehensive review of ultrasonic assisted extraction ( UAE ) for bioactive components : Principles , advantages , equipment , and combined technologies,” 101(September).
- Singh, A. (2025) “Ethnomedicinal, Pharmacological, and Phytochemical Overview of Diplazium esculentum,” *RGUHS Journal of Medical Sciences*, 15(1), pp. 8–20. Available at: [https://doi.org/10.26463/rjms.15\\_1\\_13](https://doi.org/10.26463/rjms.15_1_13).
- Soraya, I. *et al.* (2017) “Effects of temperature , time , and solvent ratio on the extraction of phenolic compounds and the anti - radical activity of Clinacanthus nutans Lindau leaves by response surface methodology,” *Chemistry Central Journal*, pp. 1–11. Available at: <https://doi.org/10.1186/s13065-017-0285-1>.
- Sukma, M., Nurlansi and Nasrudin (2022) “Total Fenolik dan Aktivitas Antioksidan Seduhan Kulit Batang Soni (*Dillenia serrata* Thunb),” *Jurnal Ilmu Kimia dan Pendidikan Kimia*, 11, pp. 27–34. Available at: <http://ojs.uho.ac.id/index.php/SAINSe-mail>:
- Syafira, E.A. *et al.* (2025) “Efektivitas Kombinasi Metode Uji Kelarutan Dalam Alkohol, Minyak Dan Filter Paper: Analisis Senyawa Kovalen Polar Dan Nonpolar Pada Buah Lokal,” *SCIENCE: Jurnal Inovasi Pendidikan Matematika dan IPA*, 5(4), pp. 1669–1681.
- Taufik, M. and Seftiono, H. (2018) “Karakteristik Fisik dan Kimia Minyak Goreng Sawit Hasil Proses Penggorengan,” *Jurnal Teknologi*, 10(2), pp. 123–130.
- Tongco, J.V. V *et al.* (2014) “Research Article Nutritional and phytochemical

- screening , and total phenolic and flavonoid content of *Diplazium esculentum* ( Retz .) Sw . from Philippines,” *Journal of Chemical and Pharmaceutical Research*, 6(8), pp. 238–242.
- Tourabi, M. *et al.* (2025) “Correction: Optimization of extraction process and solvent polarities to enhance the recovery of phytochemical compounds, nutritional content, and biofunctional properties of *Mentha longifolia* L. extracts (Bioresources and Bioprocessing, (2025), 12, 1, (2,” *Bioresources and Bioprocessing*, 12(1). Available at: <https://doi.org/10.1186/s40643-025-00910-8>.
- Trail, O.P. *et al.* (2021) “Production of Vegetable Fern (*Diplazium esculentum* Reytz.) Under Varying Levels of Shade,” *ECHO Asia Research Notes*, 2(4), pp. 1–7. Available at: <https://www.researchgate.net/publication/349734269>.
- Triyanti, S.B. *et al.* (2025) “Pengaruh Metode Ekstraksi Maserasi , Sonikasi , dan Sokletasi Terhadap Nilai Rendemen Sampel Kulit Buah Naga ( *Hylocereus polyrhizus* ),” 8(1), pp. 71–78.
- Ulfa, E. and Dollangi, S. (2023) “Pemanfaatan Ekstrak Daun Sungkai (*Peronema canescens* Jack) Untuk Menurunkan Kadar Asam Lemak Bebas Dan Bilangan Peroksida Dalam Minyak Jelantah,” *Jurnal Karya Ilmiah Multidisiplin (JURKIM)*, 3(1), pp. 1–8. Available at: <https://doi.org/10.31849/jurkim.v3i1.11327>.
- Untari, B. and Ainna, A. (2020) “Penentuan Kadar Asam Lemak Bebas dan Kandungan Jenis Asam Lemak dalam Minyak yang Dipanaskan dengan Metode Titrasi Asam Basa dan Kromatografi Gas,” (1), pp. 1–10.
- Widodo, H. *et al.* (2020) “Pemanfaatan Minyak Cengkeh Sebagai Antioksidan Alami Untuk Menurunkan Bilangan Peroksida Pada Produk Minyak Goreng,” *Jurnal Penelitian Dan Karya Ilmiah Lembaga Penelitian Universitas Trisakti*, 5(1), pp. 77–90. Available at: <https://doi.org/10.25105/pdk.v5i1.6432>.
- Wilujeng, D.T. and Anggarani, M.A. (2021) “Penentuan Fenolik Total, Flavonoid Total, Dan Aktivitas Antioksidan Ekstrak Bawang Lanang (*Allium sativum* L.),” 10(3), pp. 295–306.

- Xu, X. *et al.* (2021) "Synthetic phenolic antioxidants: Metabolism, hazards and mechanism of action," *Food Chemistry*, 353(February). Available at: <https://doi.org/10.1016/j.foodchem.2021.129488>.
- Yashin, A. *et al.* (2017) "Antioxidant activity of spices and their impact on human health: A review," *Antioxidants*, 6(3), pp. 1–18. Available at: <https://doi.org/10.3390/antiox6030070>.
- Yolanda, D. and Panduwati, D.R. (2023) "Analisa kadar bilangan peroksida pada minyak goreng yang digunakan pedagang gorengan," *Journal of Medical Laboratory Technology*, 1(1), pp. 13–16.
- Young, W. *et al.* (2023) "Approaches of lipid oxidation mechanisms in oil matrices using association colloids and analysis methods for the lipid oxidation," *Food Science and Biotechnology*, 32(13), pp. 1805–1819. Available at: <https://doi.org/10.1007/s10068-023-01359-1>.
- Zhang, Q.W., Lin, L.G. and Ye, W.C. (2018) "Techniques for extraction and isolation of natural products: A comprehensive review," *Chinese Medicine (United Kingdom)*, 13(1), pp. 1–26. Available at: <https://doi.org/10.1186/s13020-018-0177-x>.